This measure abstraction paper tool is provided as an optional, informal mechanism to aid inpatient psychiatric facilities in the collection of the Tobacco Treatment measures for the Centers for Medicare & Medicaid Services (CMS) Inpatient Psychiatric Facilities Quality Reporting (IPFQR) Program. The tool is designed to collect patient-specific data and starting the summer of 2023, IPFs will be required to submit patient-level data to the Hospital Quality Reporting (HQR) Secure Portal. Once data are submitted, they will be stored in the CMS Centralized Data Repository for data analysis and report generation. If there are any questions or concerns regarding use of this measure abstraction paper tool, please contact the IPFQR Program Support Contractor at <a href="IPFQualityReporting@hsag.com">IPFQualityReporting@hsag.com</a>.

Inc	bivid	ual Medical Record Data Collection Tool
<b>Bi</b> i Un	r <b>th D</b> able	to determine (UTD) is not an allowable entry.
Pa	tient	Identifier:
<b>A</b> d UT	<b>Imis</b> D is	not an allowable entry.
<b>Di</b> :	<b>scha</b> D is	rge Date://
ТО	B-2	
1.		at is the patient's age? Patient Age (in years) is calculated by Admission Date us Birth Date
	a.	If <i>Patient Age</i> is fewer than 18 years, the case will be excluded (Measure Category Assignment of "B"). Stop abstracting. The case will not be included in the numerator or denominator for TOB-2. Add 0 to the numerator and denominator for TOB-2.
	b.	If Patient Age is 18 years of age or greater, proceed to Length of Stay.
2.		at is the length of stay? Length of Stay (in days) equals Discharge Date minus nission Date
	a.	If <i>Length of Stay</i> is less than or equal to one day, the case will be excluded (Measure Category Assignment of "B"). Stop abstracting. The case will not be included in the numerator or denominator for TOB-2. Add 0 to the numerator and denominator for TOB-2.
	b.	If Length of Stay is greater than one day, proceed to Comfort Measures Only.
3.		en is the earliest physician, APN, or PA documentation of comfort sures only? (Comfort Measures Only)
	a.	If Comfort Measures Only equals 1, 2, or 3, the case will be excluded

(Measure Category Assignment of "B"). Stop abstracting. The case will not be included in the numerator or denominator for TOB-2. Add 0 to the numerator

If Comfort Measures Only equals 4, proceed to Tobacco Use Status.

and denominator for TOB-2.

4.	Wh	at is	the patient's tobacco use status? (Tobacco Use Status)
		1	Current everyday tobacco user.
		2	Current some day tobacco user.
		3	Former tobacco user.
		4	Never tobacco user.
		5	The patient refused the tobacco use screen.
		6	Tobacco use status unknown.
		7	The patient was not screened for tobacco use within the first day of admission (by end of Day 1) because of cognitive impairment.
	a.	If To	obacco Use Status equals 3, 4, 5, 6, or 7, proceed to Tobacco Use Status.
	b.		obacco Use Status equals 1 or 2, proceed to Tobacco Use atment Practical Counseling.
5.	Wh	at is	the patient's tobacco use status? (Tobacco Use Status)
	a.	(Me be ir	obacco Use Status equals 3, 4, 5, or 7, the case will be excluded asure Category Assignment of "B"). Stop abstracting. The case will not included in the numerator or denominator for TOB-2. Add 0 to the perator and denominator for TOB-2.
	b.	Cate	obacco Use Status equals 6, the case will be included (Measure egory Assignment of "D"). Stop abstracting. Add 1 to the ominator for TOB-2. Add 0 to the numerator for TOB-2.
6.	dar	nger s	patient receive all of the components of practical counseling (recognizing situations, developing coping skills, and providing basic information about during the hospital stay? (Tobacco Use Treatment Practical Counseling)
		1	The patient received all components of practical counseling during the hospital stay.
		2	The patient refused/declined practical counseling during the hospital stay.
		3	Practical counseling was not offered to the patient during the hospital stay, or unable to determine if tobacco use treatment was provided from medical record documentation.
	a.	inclu	obacco Use Treatment Practical Counseling equals 3, the case will be uded (Measure Category Assignment of "D"). Stop abstracting. Add 1 to the ominator for TOB-2. Add 0 to the numerator for TOB-2.
	b.		obacco Use Treatment Practical Counseling equals 1 or 2, proceed to Tobacco Status.

7.	Wha	at is t	he patient's tobacco use status? (Tobacco Use Status)
	a.	Assi	bacco Use Status equals 2, the case will be included (Measure Category gnment of "E"). Stop abstracting. Add 1 to BOTH the numerator and ominator for TOB-2.
	b.		bacco Use Status equals 1, proceed to Tobacco Use Treatment - Approved Cessation Medication.
8.	med	dicatio	patient receive one of the FDA-approved tobacco cessation ons during the hospital stay? (Tobacco Use Treatment roved Cessation Medication)
		1	The patient received one of the FDA-approved tobacco cessation medications during the hospital stay.
		2	The patient refused the FDA-approved tobacco cessation medications during the hospital stay.
		3	FDA-approved tobacco cessation medications were not offered to the patient during the hospital stay, or unable to determine from medical record documentation.
	a.	the cabstr	bacco Use Treatment FDA-Approved Cessation Medication equals 1 or 2, case will be included (Measure Category Assignment of "E"). Stop racting. Add 1 to BOTH the numerator and denominator for TOB-2. seed to TOB-2a.
	b.		bacco Use Treatment FDA-Approved Cessation Medication equals 3, proceed eason for No Tobacco Cessation Medication During the Hospital Stay.
9.	арр	rovec	documentation of a reason for not administering one of the FDA- d tobacco cessation medications during the hospital stay? or No Tobacco Cessation Medication During the Hospital Stay)
		Ye	es There is documentation of a reason for not administering an FDA-approved cessation medication during the hospital stay.
		No	There is no documentation of a reason for not administering an FDA- approved cessation medication during the hospital stay, or unable to determine from medical record documentation.
	a.	No, t	eason for No Tobacco Cessation Medication During the Hospital Stay equals the case will be included (Measure Category Assignment of "D"). Stop racting. Add 1 to the denominator for TOB-2.
	b.	equa Stop	eason for No Tobacco Cessation Medication During the Hospital Stay als Yes, the case will be included (Measure Category Assignment of "E"). abstracting. Add 1 to BOTH the numerator and denominator for TOB-2. seed to TOB-2a.

#### TOB-2a

- 1. Determine numerator and denominator for TOB-2a.
  - a. If the case is excluded for TOB-2 (Measure Category Assignment of "B"), it will not be in sub-measure TOB-2a. Stop abstracting. Add 0 to the numerator and denominator for TOB-2a.
  - b. If the case is included in TOB-2 (Measure Category Assignment of "D" or "E"), recheck *Tobacco Use Status*.
- 2. What is the patient's tobacco use status? (Tobacco Use Status)
  - If Tobacco Use Status equals 6, the case will not be included. Stop abstracting. Add 0 to BOTH the numerator and denominator for TOB-2a.
  - b. If *Tobacco Use Status* equals 1 or 2, proceed to *Tobacco Use Treatment Practical Counseling.*
- 3. Did the patient receive all components of practical counseling (recognizing danger situations, developing coping skills, and providing basic information about quitting) during the hospital stay? (Tobacco Use Treatment Practical Counseling)
  - a. If *Tobacco Use Treatment Practical Counseling* equals 2 or 3, the case will be included (Measure Category Assignment of "D"). Stop abstracting. Add 1 to the denominator for TOB-2a. Add 0 to the numerator for TOB-2a.
  - b. If *Tobacco Use Treatment Practical Counseling* equals 1, proceed to *Tobacco Use Status*.
- 4. What is the patient's tobacco use status? (Tobacco Use Status) \_\_\_\_\_
  - a. If Tobacco Use Status equals 2, the case will be included (Measure Category Assignment of "E"). Stop abstracting. Add 1 to BOTH the numerator and denominator for TOB-2a.
  - b. If *Tobacco Use Status* equals 1, proceed to *Tobacco Use Treatment FDA-Approved Cessation Medication*.
- 5. Did the patient receive one of the FDA-approved tobacco cessation medications during the hospital stay? (Tobacco Use Treatment FDA-Approved Cessation Medication)
  - a. If *Tobacco Use Treatment FDA-Approved Cessation Medication* equals 1, the case is included (Measure Category Assignment of "E"). Stop abstracting. Add 1 to BOTH the numerator and denominator for TOB-2a.
  - b. If *Tobacco Use Treatment FDA-Approved Cessation Medication* equals 2, the case is included (Measure Category Assignment of "D"). Stop abstracting. Add 1 to the denominator for TOB-2a. Add 0 to the numerator for TOB-2a.
  - c. If Tobacco Use Treatment FDA-Approved Cessation Medication equals 3, proceed to Reason for No Tobacco Cessation Medication During the Hospital Stay.

6.	арр	nere documentation of a reason for not administering one of the FDA- roved tobacco cessation medications during the hospital stay? (Reason No Tobacco Cessation Medication During the Hospital Stay)
	a.	If Reason for No Tobacco Cessation Medication During the Hospital Stay equals No, the case is included (Measure Category Assignment of "D"). Stop abstracting. Add 1 to the denominator for TOB-2a. Add 0 to the numerator for TOB-2a.
	b.	If Reason for No Tobacco Cessation Medication During the Hospital Stay equals Yes, the case is included (Measure Category Assignment of "E"). Stop abstracting. Add 1 to BOTH the numerator and denominator for TOB-2a.
TC	)B-3	
1.		at is the patient's age? Patient Age (in years) is calculated by Admission Date us Birth Date
	a.	If <i>Patient Age</i> is fewer than 18 years, the case will be excluded (Measure Category Assignment of "B"). Stop abstracting for TOB-3. The case will not be included in the numerator or denominator count for TOB-3.
	b.	If Patient Age is 18 years of age or greater, proceed to Length of Stay.
2.		at is the length of stay? Length of Stay (in days) equals Discharge Date minus nission Date
	a.	If the <i>Length of Stay</i> is less than or equal to one day, the case will be excluded (Measure Category Assignment of "B"). Stop abstracting for TOB-3. The case will not be included in the numerator or denominator count for TOB-3.
	b.	If the Length of Stay is greater than one day, proceed to Comfort Measures Only.
3.		en is the earliest physician, APN, or PA documentation of comfort asures only? (Comfort Measures Only)
	a.	If Comfort Measures Only equals 1, 2, or 3, the case will be excluded (Measure Category Assignment of "B"). Stop abstracting for TOB-3. The case will not be included in the numerator or denominator count for TOB-3.
	b.	If Comfort Measures Only equals 4, proceed to Tobacco Use Status.
4.	Wha	at is the patient's tobacco use status? (Tobacco Use Status)

the numerator or denominator for TOB-3. Add 0 to the numerator and

If *Tobacco Use Status* equals 3, 4, 5, 6, or 7 the case will be excluded (Measure Category Assignment of "B"). Stop abstracting. The case will not be included in

denominator for TOB-3.

5.			s the patient's discharge disposition on the day of discharge?  ge Disposition)
		1	Home
		2	Hospice – home
		3	Hospice – healthcare facility
		4	Acute care facility
		5	Other healthcare facility
		6	Expired
		7	Left against medical advice/AMA
		8	Not documented or unable to determine (UTD)
	a.	(Mea	scharge Disposition equals 2, 3, 4, 5, 6, or 7, the case will be excluded asure Category Assignment of "B"). Stop abstracting for TOB-3. The case not be included in the numerator or denominator count for TOB-3.
	b.		scharge Disposition equals 1 or 8, proceed to Referral for Outpatient Tobacco sation Counseling.
ŝ.	Did	the p	patient receive a referral for outpatient tobacco cessation counseling?
	(Re	ferral	for Outpatient Tobacco Cessation Counseling)
		_1	The Referral for Outpatient Tobacco Cessation Counseling treatment was made by the healthcare provider or healthcare organization at any time prior to discharge.
		_2	Referral information was given to the patient at discharge, but the appointment was not made by the provider or healthcare organization prior to discharge.
		_3	The patient refused the Referral for Outpatient Tobacco Cessation Counseling treatment and the referral was not made.
		_ 4	<ul> <li>The patient:</li> <li>is being discharged to a residence outside the USA.</li> <li>is released to court hearing and does not return.</li> <li>is being discharged to jail/law enforcement.</li> </ul>
		_5	The Referral for Outpatient Tobacco Cessation Counseling treatment was not offered at discharge or unable to determine from the medical record documentation.

- a. If Referral for Outpatient Tobacco Cessation Counseling equals 4, the case will be excluded (Measure Category Assignment of "B"). Stop abstracting for TOB-3. The case will not be included in the numerator or denominator count for TOB-3.
- b. If Referral for Outpatient Tobacco Cessation Counseling equals 2 or 5, the case will be included (Measure Category Assignment of "D"). Add 1 to the denominator for TOB-3. Add 0 to the numerator for TOB-3.
- c. If Referral for Outpatient Tobacco Cessation Counseling equals 1 or 3, proceed to Tobacco Use Status.

#### 7. What is the patient's tobacco use status? (Tobacco Use Status)

- a. If *Tobacco Use Status* equals 2, the case will be included (Measure Category Assignment of "E"). Stop abstracting. Add 1 to BOTH the numerator and denominator for TOB-3.
- b. If *Tobacco Use Status* equals 1, proceed to *Prescription for Tobacco Cessation Medication*.

# 8. Was an FDA-approved tobacco cessation medication prescribed at discharge? (Prescription for Tobacco Cessation Medication) \_\_\_\_\_\_

- a. If *Prescription for Tobacco Cessation Medication* equals 3, the case will be excluded (Measure Category Assignment of "B"). Stop abstracting for TOB-3. The case will not be included in the numerator or denominator count for TOB-3.
- b. If *Prescription for Tobacco Cessation Medication* equals 1 or 2, the case will be included (*Measure Category Assignment of "E"*). Add 1 to BOTH the numerator and denominator count for TOB-3. Proceed to TOB-3a.
- c. If *Prescription for Tobacco Cessation Medication* equals 4, proceed to *Reason for No Tobacco Cessation Medication at Discharge.*
- 9. Is there documentation of a reason for not prescribing one of the FDA-approved tobacco cessation medications at discharge?

(Reason for No Tobacco Cessation Medication at Discharge)

Yes There is documentation of a reason for not prescribing an FDA-approved cessation medication at discharge.

- No There is no documentation of a reason for not prescribing an FDA-approved cessation medication at discharge, or unable to determine from medical record documentation.
- a. If Reason for No Tobacco Cessation Medication at Discharge equals No, the case will be included (Measure Category Assignment of "D"). Add 1 to the denominator for TOB-3. Add 0 to the numerator for TOB-3. Proceed to TOB-3a.
- b. If Reason for No Tobacco Cessation Medication at Discharge equals Yes, the case will be included (Measure Category Assignment of "E"). Add 1 to BOTH the numerator and denominator count for TOB-3. Proceed to TOB-3a.

#### TOB-3a

- 1. Determine numerator and denominator for TOB-3a.
  - a. If the case is excluded for TOB-3 (Measure Category Assignment of "B"), it will not be in sub-measure TOB-3a. Stop abstracting. Add 0 to the numerator and denominator for TOB-3a.
  - b. If the case is included in TOB-3 (Measure Category Assignment of "D" or "E"), recheck *Referral for Outpatient Tobacco Cessation Counseling*.

		L), recheck Neierral for Outpatient Tobacco Cessation Counseling.
2.	Did	the patient receive a referral for outpatient tobacco cessation counseling?
	(Rei	ferral for Outpatient Tobacco Cessation Counseling)
	a.	If Referral for Outpatient Tobacco Cessation Counseling equals 2, 3, or 5, the case will not be included in the numerator (Measure Category Assignment of "D"). Add 1 to the denominator for TOB-3a. Add 0 to the numerator for TOB-3a. Stop abstracting.
	b.	If Referral for Outpatient Tobacco Cessation Counseling equals 1, proceed to Tobacco Use Status.
3.	Wha	at is the patient's tobacco use status? (Tobacco Use Status)
	a.	If <i>Tobacco Use Status</i> equals 2, the case will be included (Measure Category Assignment of "E"). Stop abstracting. Add 1 to BOTH the numerator and denominator for TOB-3a.
	b.	If Tobacco Use Status equals 1, proceed to Prescription for Tobacco Cessation Medication.
1.	Was	s an FDA-approved tobacco cessation medication prescribed at discharge?
	(Pre	escription for Tobacco Cessation Medication)
		_ 1 A prescription for an FDA-approved tobacco cessation medication was given to the patient at discharge.
		_ 2 A prescription for an FDA-approved tobacco cessation medication was offered at discharge and the patient refused.
		<ul> <li>The patient:</li> <li>is being discharged to a residence outside the USA.</li> <li>is released to court hearing and does not return.</li> <li>is being discharged to jail/law enforcement.</li> </ul>
		_ 4 A prescription for an FDA-approved tobacco cessation medication was not offered at discharge, or unable to determine from medical record

documentation.

- a. If *Prescription for Tobacco Cessation Medication* equals 1, the case is included (Measure Category Assignment of "E"). Add 1 to BOTH the numerator and denominator count for TOB-3a. Stop abstracting.
- b. If *Prescription for Tobacco Cessation Medication* equals 2, the case is included (Measure Category Assignment of "D"). Add 1 to the denominator count for TOB- 3a. Add 0 to the numerator count for TOB-3a. Stop abstracting.
- c. If *Prescription for Tobacco Cessation Medication* equals 4, proceed to Reason for No Tobacco Cessation Medication at Discharge.

5.	Is there documentation of a reason for not prescribing tobacco cessation medications at discharge? (Reason for No Tobacco Cessation Medication at
	Discharge)
	o If Paggon for No Tobago Connetion Mediaction at Disaborgo equals No

- a. If Reason for No Tobacco Cessation Medication at Discharge equals No, the case is included (Measure Category Assignment of "D"). Add 1 to the denominator count for TOB-3a. Add 0 to the numerator count for TOB-3a. Stop abstracting.
- b. If Reason for No Tobacco Cessation Medication at Discharge equals Yes, the case is included (Measure Category Assignment of "E"). Add 1 to BOTH the numerator and denominator count for TOB-3a. Stop abstracting.

Determine whether the patient is included in the numerator and denominator count.

Patient Level – TOB-2
Numerator
Denominator
Patient Level - TOB-2a
Numerator
Denominator
Patient Level – TOB-3
Patient Level – TOB-3  Numerator
Numerator
Numerator Denominator