The Centers for Medicare & Medicaid Services (CMS) provides this paper tool as an optional, informal mechanism to aid inpatient psychiatric facilities in the collection of non-measure data for the Inpatient Psychiatric Facilities Quality Reporting (IPFQR) Program. CMS will store the data you submit in the CMS Centralized Data Repository for analysis and report generation. If there are any questions or concerns regarding the use of this paper tool, please contact the IPFQR Program Support Contractor at IPFQualityReporting@hsaq.com.

| Total Annual Discharges | |
|-------------------------|--|
| | |

| Age Strata | Total Annual Discharges |
|----------------------------------------|-------------------------|
| Children (≥ 1 year and < 13 years) | |
| Adolescent (≥ 13 years and < 18 years) | |
| Adult (≥ 18 years and < 65 years) | |
| Older Adult (≥ 65 years) | |

| Diagnostic Categories | Total Annual Discharges |
|----------------------------------------------------------------------|-------------------------|
| Anxiety disorders (651) | |
| Delirium, dementia, and amnestic and other cognitive disorders (653) | |
| Mood disorders (657) | |
| Schizophrenia and other psychotic disorders (659) | |
| Alcohol-related disorders (660) | |
| Substance-related disorders (661) | |
| Other diagnosis—not included in one of the above categories | |

To define the diagnostic categories above, please note the following:

- Categorization should be based on the primary diagnosis at discharge.
- To report non-measure data to CMS, IPFs must group the annual discharges based on the diagnostic categories listed in the table above. CMS created crosswalk tables of the Clinical Classifications Software (CCS) and the Clinical Classifications Software Refined (CCSR) codes developed under the Healthcare Cost and Utilization Project by the Agency for Healthcare Research and Quality as they relate to International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) codes. See the instructions below to access the crosswalk tables of these codes in the Appendix at the end of this document.

Instructions to Determine Diagnostic Category

- Identify the ICD-10-CM code for the primary diagnosis of the case in question.
- Search for the ICD-10-CM code in the appendix of this document.
 - You can search the electronic version of this document by clicking Ctrl+F and typing in the ICD-10-CM code.
- Determine the appropriate diagnostic category based on the ICD-10-CM code.
 - o If the ICD-10-CM code is listed in a table in the appendix, then add "1" to the corresponding CCS code listed at the top of the table.
 - Example: A patient is discharged from the IPF unit on March 10, 2021, with a primary diagnosis code of F0633. This code is in Table 3: CCS 657 – Mood Disorders. Add "1" to the Mood disorders (657) in the table on page one of this document.
 - If the ICD-10-CM code is not listed in a table in the appendix, then add "1" to the "Other diagnosis—not included in one of the above categories" row in the table on page one of this document.

| Payer | Total Annual Discharges |
|--------------|-------------------------|
| Medicare | |
| Non-Medicare | |

Appendix

| Table 1: CCS 651 | - Anxiety Disorders | |
|-------------------------|---------------------|-------------------------------------------------------|
| ICD-10-CM Code | CCSR Category 1 | CCSR Category 1 Description |
| F064 | MBD005 | Anxiety disorder due to known physiological condition |
| F4000 | MBD005 | Agoraphobia, unspecified |
| F4001 | MBD005 | Agoraphobia with panic disorder |
| F4002 | MBD005 | Agoraphobia without panic disorder |
| F4010 | MBD005 | Social phobia, unspecified |
| F4011 | MBD005 | Social phobia, generalized |
| F40210 | MBD005 | Arachnophobia |
| F40218 | MBD005 | Other animal type phobia |
| F40220 | MBD005 | Fear of thunderstorms |
| F40228 | MBD005 | Other natural environment type phobia |
| F40230 | MBD005 | Fear of blood |
| F40231 | MBD005 | Fear of injections and transfusions |
| F40232 | MBD005 | Fear of other medical care |
| F40233 | MBD005 | Fear of injury |
| F40240 | MBD005 | Claustrophobia |
| F40241 | MBD005 | Acrophobia |
| F40242 | MBD005 | Fear of bridges |
| F40243 | MBD005 | Fear of flying |
| F40248 | MBD005 | Other situational type phobia |
| F40290 | MBD005 | Androphobia |
| F40291 | MBD005 | Gynephobia |
| F40298 | MBD005 | Other specified phobia |
| F408 | MBD005 | Other phobic anxiety disorders |
| F409 | MBD005 | Phobic anxiety disorder, unspecified |
| F410 | MBD005 | Panic disorder [episodic paroxysmal anxiety] |
| F411 | MBD005 | Generalized anxiety disorder |
| F413 | MBD005 | Other mixed anxiety disorders |
| F418 | MBD005 | Other specified anxiety disorders |
| F419 | MBD005 | Anxiety disorder, unspecified |
| F42 | MBD006 | Obsessive-compulsive disorder |
| F422 | MBD006 | Mixed obsessional thoughts and acts |
| F423 | MBD006 | Hoarding disorder |
| F424 | MBD006 | Excoriation (skin-picking) disorder |
| F428 | MBD006 | Other obsessive-compulsive disorder |
| F429 | MBD006 | Obsessive-compulsive disorder, unspecified |
| F430 | MBD007 | Acute stress reaction |
| F4310 | MBD007 | Post-traumatic stress disorder, unspecified |
| F4311 | MBD007 | Post-traumatic stress disorder, acute |

| Table 1: CCS 651 - Anxiety Disorders | | |
|--------------------------------------|-----------------|--------------------------------------------------|
| ICD-10-CM Code | CCSR Category 1 | CCSR Category 1 Description |
| F4312 | MBD007 | Post-traumatic stress disorder, chronic |
| F488 | MBD013 | Other specified nonpsychotic mental disorders |
| F489 | MBD013 | Nonpsychotic mental disorder, unspecified |
| R452 | SYM008 | Unhappiness |
| R453 | SYM008 | Demoralization and apathy |
| R454 | SYM008 | Irritability and anger |
| R455 | SYM008 | Hostility |
| R456 | SYM008 | Violent behavior |
| R457 | SYM008 | State of emotional shock and stress, unspecified |
| R4581 | SYM008 | Low self-esteem |
| R4582 | SYM008 | Worries |
| R4583 | SYM008 | Excessive crying of child, adolescent or adult |
| R4584 | SYM008 | Anhedonia |

| F0281NVS011behavioral disturbanceF0281NVS011Dementia in other diseases classified elsewhere with behavioral disturbanceF0390NVS011Unspecified dementia without behavioral disturbanceF0391NVS011Unspecified dementia with behavioral disturbanceF04NVS011Amnestic disorder due to known physiological conditionF05NVS011Delirium due to known physiological conditionF070MBD009Personality change due to known physiological conditionF0781NVS011Postconcussional syndromeF0789NVS011Other personality and behavioral disorders due to known physiological conditionF079MBD013Unspecified personality and behavioral disorder due to known physiological conditionF09MBD013Unspecified mental disorder due to known physiological conditionF482NVS011Pseudobulbar affectG300NVS011Alzheimer's disease with early onsetG301NVS011Alzheimer's disease with late onsetG308NVS011Other Alzheimer's diseaseG309NVS011Alzheimer's disease, unspecified | Table 2: CCS 653 – Delirium, dementia, and amnestic and other cognitive disorders | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------|--------------------------------------------------------------------------------------|
| F0151NVS011Vascular dementia with behavioral disturbanceF0280NVS011Dementia in other diseases classified elsewhere with behavioral disturbanceF0281NVS011Dementia in other diseases classified elsewhere with behavioral disturbanceF0390NVS011Unspecified dementia without behavioral disturbanceF0391NVS011Unspecified dementia with behavioral disturbanceF04NVS011Amnestic disorder due to known physiological conditionF05NVS011Delirium due to known physiological conditionF070MBD009Personality change due to known physiological conditionF0781NVS011Postconcussional syndromeF0789NVS011Other personality and behavioral disorders due to known physiological conditionF079MBD013Unspecified personality and behavioral disorder due to known physiological conditionF09MBD013Unspecified mental disorder due to known physiological conditionF482NVS011Pseudobulbar affectG300NVS011Alzheimer's disease with early onsetG301NVS011Alzheimer's disease with late onsetG308NVS011Other Alzheimer's disease, unspecified | ICD-10-CM Code | CCSR Category 1 | CCSR Category 1 Description |
| F0280NVS011Dementia in other diseases classified elsewhere with behavioral disturbanceF0281NVS011Dementia in other diseases classified elsewhere with behavioral disturbanceF0390NVS011Unspecified dementia without behavioral disturbanceF0391NVS011Unspecified dementia with behavioral disturbanceF04NVS011Amnestic disorder due to known physiological conditionF05NVS011Delirium due to known physiological conditionF070MBD009Personality change due to known physiological conditionF0781NVS011Postconcussional syndromeF0789NVS011Other personality and behavioral disorders due to known physiological conditionF079MBD013Unspecified personality and behavioral disorder due to known physiological conditionF09MBD013Unspecified mental disorder due to known physiological conditionF482NVS011Pseudobulbar affectG300NVS011Alzheimer's disease with early onsetG301NVS011Alzheimer's disease with late onsetG308NVS011Other Alzheimer's disease, unspecified | F0150 | NVS011 | Vascular dementia without behavioral disturbance |
| F0281NVS011behavioral disturbanceF0281NVS011Dementia in other diseases classified elsewhere with behavioral disturbanceF0390NVS011Unspecified dementia without behavioral disturbanceF0391NVS011Unspecified dementia with behavioral disturbanceF04NVS011Amnestic disorder due to known physiological conditionF05NVS011Delirium due to known physiological conditionF070MBD009Personality change due to known physiological conditionF0781NVS011Postconcussional syndromeF0789NVS011Other personality and behavioral disorders due to known physiological conditionF079MBD013Unspecified personality and behavioral disorder due to known physiological conditionF09MBD013Unspecified mental disorder due to known physiological conditionF482NVS011Pseudobulbar affectG300NVS011Alzheimer's disease with early onsetG301NVS011Alzheimer's disease with late onsetG308NVS011Other Alzheimer's diseaseG309NVS011Alzheimer's disease, unspecified | F0151 | NVS011 | Vascular dementia with behavioral disturbance |
| F0281NVS011behavioral disturbanceF0390NVS011Unspecified dementia without behavioral disturbanceF0391NVS011Unspecified dementia with behavioral disturbanceF04NVS011Amnestic disorder due to known physiological conditionF05NVS011Delirium due to known physiological conditionF070MBD009Personality change due to known physiological conditionF0781NVS011Postconcussional syndromeF0789NVS011Other personality and behavioral disorders due to known physiological conditionF079MBD013Unspecified personality and behavioral disorder due to known physiological conditionF09MBD013Unspecified mental disorder due to known physiological conditionF482NVS011Pseudobulbar affectG300NVS011Alzheimer's disease with early onsetG301NVS011Alzheimer's disease with late onsetG308NVS011Other Alzheimer's disease, unspecified | F0280 | NVS011 | Dementia in other diseases classified elsewhere without behavioral disturbance |
| F0391 NVS011 Unspecified dementia with behavioral disturbance F04 NVS011 Amnestic disorder due to known physiological condition F05 NVS011 Delirium due to known physiological condition F070 MBD009 Personality change due to known physiological condition F0781 NVS011 Postconcussional syndrome F0789 NVS011 Other personality and behavioral disorders due to known physiological condition F079 MBD013 Unspecified personality and behavioral disorder due to known physiological condition F09 MBD013 Unspecified mental disorder due to known physiological condition F482 NVS011 Pseudobulbar affect G300 NVS011 Alzheimer's disease with early onset G301 NVS011 Alzheimer's disease with late onset G308 NVS011 Other Alzheimer's disease G309 NVS011 Alzheimer's disease, unspecified | F0281 | NVS011 | |
| F04 NVS011 Amnestic disorder due to known physiological condition F05 NVS011 Delirium due to known physiological condition F070 MBD009 Personality change due to known physiological condition F0781 NVS011 Postconcussional syndrome F0789 NVS011 Other personality and behavioral disorders due to known physiological condition F079 MBD013 Unspecified personality and behavioral disorder due to known physiological condition F09 MBD013 Unspecified mental disorder due to known physiological condition F482 NVS011 Pseudobulbar affect G300 NVS011 Alzheimer's disease with early onset G301 NVS011 Alzheimer's disease with late onset G308 NVS011 Other Alzheimer's disease G309 NVS011 Alzheimer's disease, unspecified | F0390 | NVS011 | Unspecified dementia without behavioral disturbance |
| F05 NVS011 Delirium due to known physiological condition F070 MBD009 Personality change due to known physiological condition F0781 NVS011 Postconcussional syndrome Other personality and behavioral disorders due to known physiological condition WBD013 Unspecified personality and behavioral disorder due to known physiological condition Unspecified mental disorder due to known physiological condition F09 MBD013 Unspecified mental disorder due to known physiological condition F482 NVS011 Pseudobulbar affect G300 NVS011 Alzheimer's disease with early onset G301 NVS011 Alzheimer's disease with late onset G308 NVS011 Other Alzheimer's disease G309 NVS011 Alzheimer's disease, unspecified | F0391 | NVS011 | Unspecified dementia with behavioral disturbance |
| F070 MBD009 Personality change due to known physiological condition F0781 NVS011 Postconcussional syndrome F0789 NVS011 Other personality and behavioral disorders due to known physiological condition F079 MBD013 Unspecified personality and behavioral disorder due to known physiological condition F09 MBD013 Unspecified mental disorder due to known physiological condition F482 NVS011 Pseudobulbar affect G300 NVS011 Alzheimer's disease with early onset G301 NVS011 Alzheimer's disease with late onset G308 NVS011 Other Alzheimer's disease G309 NVS011 Alzheimer's disease, unspecified | F04 | NVS011 | Amnestic disorder due to known physiological condition |
| F0781 NVS011 Postconcussional syndrome F0789 NVS011 Other personality and behavioral disorders due to know physiological condition F079 MBD013 Unspecified personality and behavioral disorder due to known physiological condition F09 MBD013 Unspecified mental disorder due to known physiological condition F482 NVS011 Pseudobulbar affect G300 NVS011 Alzheimer's disease with early onset G301 NVS011 Alzheimer's disease with late onset G308 NVS011 Other Alzheimer's disease G309 NVS011 Alzheimer's disease, unspecified | F05 | NVS011 | Delirium due to known physiological condition |
| F0789 NVS011 Other personality and behavioral disorders due to known physiological condition Unspecified personality and behavioral disorder due to known physiological condition Unspecified mental disorder due to known physiological condition F09 MBD013 Unspecified mental disorder due to known physiological condition F482 NVS011 Pseudobulbar affect G300 NVS011 Alzheimer's disease with early onset G301 NVS011 Alzheimer's disease with late onset G308 NVS011 Other Alzheimer's disease G309 NVS011 Alzheimer's disease, unspecified | F070 | MBD009 | Personality change due to known physiological condition |
| physiological condition MBD013 Unspecified personality and behavioral disorder due to known physiological condition MBD013 Unspecified mental disorder due to known physiological condition F482 NVS011 Pseudobulbar affect G300 NVS011 Alzheimer's disease with early onset G301 NVS011 Alzheimer's disease with late onset G308 NVS011 Other Alzheimer's disease G309 NVS011 Alzheimer's disease, unspecified | F0781 | NVS011 | Postconcussional syndrome |
| known physiological condition MBD013 Unspecified mental disorder due to known physiological condition F482 NVS011 Pseudobulbar affect G300 NVS011 Alzheimer's disease with early onset NVS011 Alzheimer's disease with late onset G308 NVS011 Other Alzheimer's disease G309 NVS011 Alzheimer's disease, unspecified | F0789 | NVS011 | Other personality and behavioral disorders due to known physiological condition |
| physiological condition F482 NVS011 Pseudobulbar affect G300 NVS011 Alzheimer's disease with early onset G301 NVS011 Alzheimer's disease with late onset G308 NVS011 Other Alzheimer's disease G309 NVS011 Alzheimer's disease, unspecified | F079 | MBD013 | Unspecified personality and behavioral disorder due to known physiological condition |
| G300 NVS011 Alzheimer's disease with early onset G301 NVS011 Alzheimer's disease with late onset G308 NVS011 Other Alzheimer's disease G309 NVS011 Alzheimer's disease, unspecified | F09 | MBD013 | |
| G301 NVS011 Alzheimer's disease with late onset G308 NVS011 Other Alzheimer's disease G309 NVS011 Alzheimer's disease, unspecified | F482 | NVS011 | Pseudobulbar affect |
| G308 NVS011 Other Alzheimer's disease G309 NVS011 Alzheimer's disease, unspecified | G300 | NVS011 | Alzheimer's disease with early onset |
| G309 NVS011 Alzheimer's disease, unspecified | G301 | NVS011 | Alzheimer's disease with late onset |
| , , | G308 | NVS011 | Other Alzheimer's disease |
| D2424 | G309 | NVS011 | Alzheimer's disease, unspecified |
| G3101 NVS011 Pick's disease | G3101 | NVS011 | Pick's disease |

| Table 2: CCS 653 – Delirium, dementia, and amnestic and other cognitive disorders | | |
|-----------------------------------------------------------------------------------|------------------------|--------------------------------------------------------|
| ICD-10-CM Code | CCSR Category 1 | CCSR Category 1 Description |
| G3109 | NVS011 | Other frontotemporal dementia |
| G311 | NVS011 | Senile degeneration of brain, not elsewhere classified |
| G3183 | NVS011 | Dementia with Lewy bodies |
| R4181 | SYM010 | Age-related cognitive decline |
| R54 | SYM016 | Age-related physical debility |

| Table 3: CCS 657 – Mood Disorders | | |
|-----------------------------------|-----------------|---------------------------------------------------------------------------------------|
| ICD-10-CM Code | CCSR Category I | CCSR Category 1 Description |
| F0630 | MBD004 | Mood disorder due to known physiological condition, unspecified |
| F0631 | MBD002 | Mood disorder due to known physiological condition with depressive features |
| F0632 | MBD002 | Mood disorder due to known physiological condition with major depressive-like episode |
| F0633 | MBD003 | Mood disorder due to known physiological condition with manic features |
| F0634 | MBD002 | Mood disorder due to known physiological condition with mixed features |
| F3010 | MBD003 | Manic episode without psychotic symptoms, unspecified |
| F3011 | MBD003 | Manic episode without psychotic symptoms, mild |
| F3012 | MBD003 | Manic episode without psychotic symptoms, moderate |
| F3013 | MBD003 | Manic episode, severe, without psychotic symptoms |
| F302 | MBD003 | Manic episode, severe with psychotic symptoms |
| F303 | MBD003 | Manic episode in partial remission |
| F304 | MBD026 | Manic episode in full remission |
| F308 | MBD003 | Other manic episodes |
| F309 | MBD003 | Manic episode, unspecified |
| F310 | MBD003 | Bipolar disorder, current episode hypomanic |
| F3110 | MBD003 | Bipolar disorder, current episode manic without psychotic features, unspecified |
| F3111 | MBD003 | Bipolar disorder, current episode manic without psychotic features, mild |
| F3112 | MBD003 | Bipolar disorder, current episode manic without psychotic features, moderate |
| F3113 | MBD003 | Bipolar disorder, current episode manic without psychotic features, severe |
| F312 | MBD003 | Bipolar disorder, current episode manic severe with psychotic features |
| F3130 | MBD003 | Bipolar disorder, current episode depressed, mild or moderate severity, unspecified |
| F3131 | MBD003 | Bipolar disorder, current episode depressed, mild |
| F3132 | MBD003 | Bipolar disorder, current episode depressed, moderate |

| Table 3: CCS 657 – Mood Disorders | | |
|-----------------------------------|-----------------|---------------------------------------------------------------------------------|
| ICD-10-CM Code | CCSR Category I | CCSR Category 1 Description |
| F314 | MBD003 | Bipolar disorder, current episode depressed, severe, without psychotic features |
| F315 | MBD003 | Bipolar disorder, current episode depressed, severe, with psychotic features |
| F3160 | MBD003 | Bipolar disorder, current episode mixed, unspecified |
| F3161 | MBD003 | Bipolar disorder, current episode mixed, mild |
| F3162 | MBD003 | Bipolar disorder, current episode mixed, moderate |
| F3163 | MBD003 | Bipolar disorder, current episode mixed, severe, without psychotic features |
| F3164 | MBD003 | Bipolar disorder, current episode mixed, severe, with psychotic features |
| F3170 | MBD026 | Bipolar disorder, currently in remission, most recent episode unspecified |
| F3171 | MBD003 | Bipolar disorder, in partial remission, most recent episode hypomanic |
| F3172 | MBD026 | Bipolar disorder, in full remission, most recent episode hypomanic |
| F3173 | MBD003 | Bipolar disorder, in partial remission, most recent episode manic |
| F3174 | MBD026 | Bipolar disorder, in full remission, most recent episode manic |
| F3175 | MBD003 | Bipolar disorder, in partial remission, most recent episode depressed |
| F3176 | MBD026 | Bipolar disorder, in full remission, most recent episode depressed |
| F3177 | MBD003 | Bipolar disorder, in partial remission, most recent episode mixed |
| F3178 | MBD026 | Bipolar disorder, in full remission, most recent episode mixed |
| F3181 | MBD003 | Bipolar II disorder |
| F3189 | MBD003 | Other bipolar disorder |
| F319 | MBD003 | Bipolar disorder, unspecified |
| F320 | MBD002 | Major depressive disorder, single episode, mild |
| F321 | MBD002 | Major depressive disorder, single episode, moderate |
| F322 | MBD002 | Major depressive disorder, single episode, severe without psychotic features |
| F323 | MBD002 | Major depressive disorder, single episode, severe with psychotic features |
| F324 | MBD002 | Major depressive disorder, single episode, in partial remission |
| F325 | MBD026 | Major depressive disorder, single episode, in full remission |
| F328 | MBD002 | Other depressive episodes |
| F3281 | MBD002 | Premenstrual dysphoric disorder |
| F3289 | MBD002 | Other specified depressive episodes |

| Table 3: CCS 657 – Mood Disorders | | |
|-----------------------------------|-----------------|------------------------------------------------------------------------|
| ICD-10-CM Code | CCSR Category I | CCSR Category 1 Description |
| F329 | MBD002 | Major depressive disorder, single episode, unspecified |
| F330 | MBD002 | Major depressive disorder, recurrent, mild |
| F331 | MBD002 | Major depressive disorder, recurrent, moderate |
| F332 | MBD002 | Major depressive disorder, recurrent severe without psychotic features |
| F333 | MBD002 | Major depressive disorder, recurrent, severe with psychotic symptoms |
| F3340 | MBD026 | Major depressive disorder, recurrent, in remission, unspecified |
| F3341 | MBD002 | Major depressive disorder, recurrent, in partial remission |
| F3342 | MBD026 | Major depressive disorder, recurrent, in full remission |
| F338 | MBD002 | Other recurrent depressive disorders |
| F339 | MBD002 | Major depressive disorder, recurrent, unspecified |
| F340 | MBD003 | Cyclothymic disorder |
| F341 | MBD002 | Dysthymic disorder |
| F348 | MBD004 | Other persistent mood [affective] disorders |
| F3481 | MBD004 | Disruptive mood dysregulation disorder |
| F3489 | MBD004 | Other specified persistent mood disorders |
| F349 | MBD004 | Persistent mood [affective] disorder, unspecified |
| F39 | MBD004 | Unspecified mood [affective] disorder |
| R4586 | SYM008 | Emotional lability |

| Table 4: CCS 659 – Schizophrenia and other psychotic Disorders | | |
|----------------------------------------------------------------|-----------------|-----------------------------------------------------------------------------|
| ICD-10-CM Code | CCSR Category I | CCSR Category 1 Description |
| F060 | MBD001 | Psychotic disorder with hallucinations due to known physiological condition |
| F062 | MBD001 | Psychotic disorder with delusions due to known physiological condition |
| F200 | MBD001 | Paranoid schizophrenia |
| F201 | MBD001 | Disorganized schizophrenia |
| F202 | MBD001 | Catatonic schizophrenia |
| F203 | MBD001 | Undifferentiated schizophrenia |
| F205 | MBD001 | Residual schizophrenia |
| F2081 | MBD001 | Schizophreniform disorder |
| F2089 | MBD001 | Other schizophrenia |
| F209 | MBD001 | Schizophrenia, unspecified |
| F21 | MBD001 | Schizotypal disorder |
| F22 | MBD001 | Delusional disorders |
| F23 | MBD001 | Brief psychotic disorder |
| F24 | MBD001 | Shared psychotic disorder |

| Table 4: CCS 659 | Table 4: CCS 659 – Schizophrenia and other psychotic Disorders | | |
|-------------------------|----------------------------------------------------------------|----------------------------------------------------------------------------------|--|
| ICD-10-CM Code | CCSR Category I | CCSR Category 1 Description | |
| F250 | MBD001 | Schizoaffective disorder, bipolar type | |
| F251 | MBD001 | Schizoaffective disorder, depressive type | |
| F258 | MBD001 | Other schizoaffective disorders | |
| F259 | MBD001 | Schizoaffective disorder, unspecified | |
| F28 | MBD001 | Other psychotic disorder not due to a substance or known physiological condition | |
| F29 | MBD001 | Unspecified psychosis not due to a substance or known physiological condition | |

| Table 5: CCS 660 | Table 5: CCS 660 - Alcohol-related Disorders | |
|------------------|----------------------------------------------|---------------------------------------------------------------------------|
| ICD-10-CM Code | CCSR Category I | CCSR Category 1 Description |
| F1010 | MBD017 | Alcohol abuse, uncomplicated |
| F1011 | MBD026 | Alcohol abuse, in remission |
| F10120 | MBD017 | Alcohol abuse with intoxication, uncomplicated |
| F10121 | MBD017 | Alcohol abuse with intoxication delirium |
| F10129 | MBD017 | Alcohol abuse with intoxication, unspecified |
| F1014 | MBD017 | Alcohol abuse with alcohol-induced mood disorder |
| F10150 | MBD001 | Alcohol abuse with alcohol-induced psychotic disorder with delusions |
| F10151 | MBD001 | Alcohol abuse with alcohol-induced psychotic disorder with hallucinations |
| F10159 | MBD001 | Alcohol abuse with alcohol-induced psychotic disorder, unspecified |
| F10180 | MBD005 | Alcohol abuse with alcohol-induced anxiety disorder |
| F10181 | MBD017 | Alcohol abuse with alcohol-induced sexual dysfunction |
| F10182 | MBD017 | Alcohol abuse with alcohol-induced sleep disorder |
| F10188 | MBD017 | Alcohol abuse with other alcohol-induced disorder |
| F1019 | MBD017 | Alcohol abuse with unspecified alcohol-induced disorder |
| F1020 | MBD017 | Alcohol dependence, uncomplicated |
| F1021 | MBD026 | Alcohol dependence, in remission |
| F10220 | MBD017 | Alcohol dependence with intoxication, uncomplicated |
| F10221 | MBD017 | Alcohol dependence with intoxication delirium |
| F10229 | MBD017 | Alcohol dependence with intoxication, unspecified |
| F10230 | MBD017 | Alcohol dependence with withdrawal, uncomplicated |
| F10231 | MBD017 | Alcohol dependence with withdrawal delirium |
| F10232 | MBD017 | Alcohol dependence with withdrawal with perceptual disturbance |
| F10239 | MBD017 | Alcohol dependence with withdrawal, unspecified |
| F1024 | MBD017 | Alcohol dependence with alcohol-induced mood disorder |

| Table 5: CCS 660 | – Alcohol-related D | isorders |
|------------------|---------------------|--------------------------------------------------------------------------------------|
| ICD-10-CM Code | CCSR Category I | CCSR Category 1 Description |
| F10250 | MBD001 | Alcohol dependence with alcohol-induced psychotic disorder with delusions |
| F10251 | MBD001 | Alcohol dependence with alcohol-induced psychotic disorder with hallucinations |
| F10259 | MBD001 | Alcohol dependence with alcohol-induced psychotic disorder, unspecified |
| F1026 | MBD017 | Alcohol dependence with alcohol-induced persisting amnestic disorder |
| F1027 | MBD017 | Alcohol dependence with alcohol-induced persisting dementia |
| F10280 | MBD005 | Alcohol dependence with alcohol-induced anxiety disorder |
| F10281 | MBD017 | Alcohol dependence with alcohol-induced sexual dysfunction |
| F10282 | MBD017 | Alcohol dependence with alcohol-induced sleep disorder |
| F10288 | MBD017 | Alcohol dependence with other alcohol-induced disorder |
| F1029 | MBD017 | Alcohol dependence with unspecified alcohol-induced disorder |
| F10920 | MBD017 | Alcohol use, unspecified with intoxication, uncomplicated |
| F10921 | MBD017 | Alcohol use, unspecified with intoxication delirium |
| F10929 | MBD017 | Alcohol use, unspecified with intoxication, unspecified |
| F1094 | MBD017 | Alcohol use, unspecified with alcohol-induced mood disorder |
| F10950 | MBD001 | Alcohol use, unspecified with alcohol-induced psychotic disorder with delusions |
| F10951 | MBD001 | Alcohol use, unspecified with alcohol-induced psychotic disorder with hallucinations |
| F10959 | MBD001 | Alcohol use, unspecified with alcohol-induced psychotic disorder, unspecified |
| F1096 | MBD017 | Alcohol use, unspecified with alcohol-induced persisting amnestic disorder |
| F1097 | MBD017 | Alcohol use, unspecified with alcohol-induced persisting dementia |
| F10980 | MBD005 | Alcohol use, unspecified with alcohol-induced anxiety disorder |
| F10981 | MBD017 | Alcohol use, unspecified with alcohol-induced sexual dysfunction |
| F10982 | MBD017 | Alcohol use, unspecified with alcohol-induced sleep disorder |
| F10988 | MBD017 | Alcohol use, unspecified with other alcohol-induced disorder |

| Table 5: CCS 660 | Table 5: CCS 660 – Alcohol-related Disorders | | |
|-------------------------|----------------------------------------------|--------------------------------------------------------------------|--|
| ICD-10-CM Code | CCSR Category I | CCSR Category 1 Description | |
| F1099 | MBD017 | Alcohol use, unspecified with unspecified alcohol-induced disorder | |
| G621 | MBD017 | Alcoholic polyneuropathy | |
| 1426 | CIR005 | Alcoholic cardiomyopathy | |
| K2920 | DIG007 | Alcoholic gastritis without bleeding | |
| K2921 | DIG007 | Alcoholic gastritis with bleeding | |
| K700 | DIG019 | Alcoholic fatty liver | |
| K7010 | INF007 | Alcoholic hepatitis without ascites | |
| K7011 | INF007 | Alcoholic hepatitis with ascites | |
| K702 | DIG019 | Alcoholic fibrosis and sclerosis of liver | |
| K7030 | DIG019 | Alcoholic cirrhosis of liver without ascites | |
| K7031 | DIG019 | Alcoholic cirrhosis of liver with ascites | |
| K7040 | DIG018 | Alcoholic hepatic failure without coma | |
| K709 | DIG019 | Alcoholic liver disease, unspecified | |
| O99310 | MBD017 | Alcohol use complicating pregnancy, unspecified trimester | |
| O99311 | MBD017 | Alcohol use complicating pregnancy, first trimester | |
| O99312 | MBD017 | Alcohol use complicating pregnancy, second trimester | |
| O99313 | MBD017 | Alcohol use complicating pregnancy, third trimester | |
| O99314 | MBD017 | Alcohol use complicating childbirth | |
| O99315 | MBD017 | Alcohol use complicating the puerperium | |
| P043 | MBD016 | Newborn affected by maternal use of alcohol | |
| Q860 | MAL010 | Fetal alcohol syndrome (dysmorphic) | |

| Table 6: CCS 661 | Table 6: CCS 661 - Substance-related Disorders | |
|-------------------------|------------------------------------------------|-------------------------------------------------------------------------|
| ICD-10-CM Code | CCSR Category 1 | CCSR Category 1 Description |
| F1110 | MBD018 | Opioid abuse, uncomplicated |
| F1111 | MBD026 | Opioid abuse, in remission |
| F11120 | MBD018 | Opioid abuse with intoxication, uncomplicated |
| F11121 | MBD018 | Opioid abuse with intoxication delirium |
| F11122 | MBD018 | Opioid abuse with intoxication with perceptual disturbance |
| F11129 | MBD018 | Opioid abuse with intoxication, unspecified |
| F1114 | MBD018 | Opioid abuse with opioid-induced mood disorder |
| F11150 | MBD001 | Opioid abuse with opioid-induced psychotic disorder with delusions |
| F11151 | MBD001 | Opioid abuse with opioid-induced psychotic disorder with hallucinations |
| F11159 | MBD001 | Opioid abuse with opioid-induced psychotic disorder, unspecified |

| Table 6: CCS 661 | – Substance-related | d Disorders |
|------------------|---------------------|------------------------------------------------------------------------------------|
| ICD-10-CM Code | CCSR Category 1 | CCSR Category 1 Description |
| F11181 | MBD018 | Opioid abuse with opioid-induced sexual dysfunction |
| F11182 | MBD018 | Opioid abuse with opioid-induced sleep disorder |
| F11188 | MBD018 | Opioid abuse with other opioid-induced disorder |
| F1119 | MBD018 | Opioid abuse with unspecified opioid-induced disorder |
| F1120 | MBD018 | Opioid dependence, uncomplicated |
| F1121 | MBD026 | Opioid dependence, in remission |
| F11220 | MBD018 | Opioid dependence with intoxication, uncomplicated |
| F11221 | MBD018 | Opioid dependence with intoxication delirium |
| F11222 | MBD018 | Opioid dependence with intoxication with perceptual disturbance |
| F11229 | MBD018 | Opioid dependence with intoxication, unspecified |
| F1123 | MBD018 | Opioid dependence with withdrawal |
| F1124 | MBD018 | Opioid dependence with opioid-induced mood disorder |
| F11250 | MBD001 | Opioid dependence with opioid-induced psychotic disorder with delusions |
| F11251 | MBD001 | Opioid dependence with opioid-induced psychotic disorder with hallucinations |
| F11259 | MBD001 | Opioid dependence with opioid-induced psychotic disorder, unspecified |
| F11281 | MBD018 | Opioid dependence with opioid-induced sexual dysfunction |
| F11282 | MBD018 | Opioid dependence with opioid-induced sleep disorder |
| F11288 | MBD018 | Opioid dependence with other opioid-induced disorder |
| F1129 | MBD018 | Opioid dependence with unspecified opioid-induced disorder |
| F1190 | MBD018 | Opioid use, unspecified, uncomplicated |
| F11920 | MBD018 | Opioid use, unspecified with intoxication, uncomplicated |
| F11921 | MBD018 | Opioid use, unspecified with intoxication delirium |
| F11922 | MBD018 | Opioid use, unspecified with intoxication with perceptual disturbance |
| F11929 | MBD018 | Opioid use, unspecified with intoxication, unspecified |
| F1193 | MBD018 | Opioid use, unspecified with withdrawal |
| F1194 | MBD018 | Opioid use, unspecified with opioid-induced mood disorder |
| F11950 | MBD001 | Opioid use, unspecified with opioid-induced psychotic disorder with delusions |
| F11951 | MBD001 | Opioid use, unspecified with opioid-induced psychotic disorder with hallucinations |
| F11959 | MBD001 | Opioid use, unspecified with opioid-induced psychotic disorder, unspecified |

| Table 6: CCS 661 | – Substance-related | d Disorders |
|------------------|---------------------|-------------------------------------------------------------------|
| ICD-10-CM Code | CCSR Category 1 | CCSR Category 1 Description |
| F11981 | MBD018 | Opioid use, unspecified with opioid-induced sexual dysfunction |
| F11982 | MBD018 | Opioid use, unspecified with opioid-induced sleep disorder |
| F11988 | MBD018 | Opioid use, unspecified with other opioid-induced disorder |
| F1199 | MBD018 | Opioid use, unspecified with unspecified opioid-induced disorder |
| F1210 | MBD019 | Cannabis abuse, uncomplicated |
| F1211 | MBD026 | Cannabis abuse, in remission |
| F12120 | MBD019 | Cannabis abuse with intoxication, uncomplicated |
| F12121 | MBD019 | Cannabis abuse with intoxication delirium |
| F12122 | MBD019 | Cannabis abuse with intoxication with perceptual disturbance |
| F12129 | MBD019 | Cannabis abuse with intoxication, unspecified |
| F12150 | MBD001 | Cannabis abuse with psychotic disorder with delusions |
| F12151 | MBD001 | Cannabis abuse with psychotic disorder with hallucinations |
| F12159 | MBD001 | Cannabis abuse with psychotic disorder, unspecified |
| F12180 | MBD005 | Cannabis abuse with cannabis-induced anxiety disorder |
| F12188 | MBD019 | Cannabis abuse with other cannabis-induced disorder |
| F1219 | MBD019 | Cannabis abuse with unspecified cannabis-induced disorder |
| F1220 | MBD019 | Cannabis dependence, uncomplicated |
| F1221 | MBD026 | Cannabis dependence, in remission |
| F12220 | MBD019 | Cannabis dependence with intoxication, uncomplicated |
| F12221 | MBD019 | Cannabis dependence with intoxication delirium |
| F12222 | MBD019 | Cannabis dependence with intoxication with perceptual disturbance |
| F12229 | MBD019 | Cannabis dependence with intoxication, unspecified |
| F1223 | MBD019 | Cannabis dependence with withdrawal |
| F12250 | MBD001 | Cannabis dependence with psychotic disorder with delusions |
| F12251 | MBD001 | Cannabis dependence with psychotic disorder with hallucinations |
| F12259 | MBD001 | Cannabis dependence with psychotic disorder, unspecified |
| F12280 | MBD005 | Cannabis dependence with cannabis-induced anxiety disorder |
| F12288 | MBD019 | Cannabis dependence with other cannabis-induced disorder |

| Table 6: CCS 661 | – Substance-related | d Disorders |
|-------------------------|---------------------|-----------------------------------------------------------------------------------------------------------------------------|
| ICD-10-CM Code | CCSR Category 1 | CCSR Category 1 Description |
| F1229 | MBD019 | Cannabis dependence with unspecified cannabis- induced disorder |
| F1290 | MBD019 | Cannabis use, unspecified, uncomplicated |
| F12920 | MBD019 | Cannabis use, unspecified with intoxication, uncomplicated |
| F12921 | MBD019 | Cannabis use, unspecified with intoxication delirium |
| F12922 | MBD019 | Cannabis use, unspecified with intoxication with perceptual disturbance |
| F12929 | MBD019 | Cannabis use, unspecified with intoxication, unspecified |
| F1293 | MBD019 | Cannabis use, unspecified with withdrawal |
| F12950 | MBD001 | Cannabis use, unspecified with psychotic disorder with delusions |
| F12951 | MBD001 | Cannabis use, unspecified with psychotic disorder with hallucinations |
| F12959 | MBD001 | Cannabis use, unspecified with psychotic disorder, unspecified |
| F12980 | MBD005 | Cannabis use, unspecified with anxiety disorder |
| F12988 | MBD019 | Cannabis use, unspecified with other cannabis-induced disorder |
| F1299 | MBD019 | Cannabis use, unspecified with unspecified cannabis- induced disorder |
| F1310 | MBD020 | Sedative, hypnotic or anxiolytic abuse, uncomplicated |
| F1311 | MBD026 | Sedative, hypnotic or anxiolytic abuse, in remission |
| F13120 | MBD020 | Sedative, hypnotic or anxiolytic abuse with intoxication, uncomplicated |
| F13121 | MBD020 | Sedative, hypnotic or anxiolytic abuse with intoxication delirium |
| F13129 | MBD020 | Sedative, hypnotic or anxiolytic abuse with intoxication, unspecified |
| F1314 | MBD020 | Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced mood disorder |
| F13150 | MBD001 | Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder with delusions |
| F13151 | MBD001 | Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations |
| F13159 | MBD001 | Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified |
| F13180 | MBD005 | Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced anxiety disorder |
| F13181 | MBD020 | Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced sexual dysfunction |
| F13182 | MBD020 | Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced sleep disorder |

| Table 6: CCS 661 | Table 6: CCS 661 – Substance-related Disorders | |
|------------------|------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| ICD-10-CM Code | CCSR Category 1 | CCSR Category 1 Description |
| F13188 | MBD020 | Sedative, hypnotic or anxiolytic abuse with other sedative, hypnotic or anxiolytic-induced disorder |
| F1319 | MBD020 | Sedative, hypnotic or anxiolytic abuse with unspecified sedative, hypnotic or anxiolytic-induced disorder |
| F1320 | MBD020 | Sedative, hypnotic or anxiolytic dependence, uncomplicated |
| F1321 | MBD026 | Sedative, hypnotic or anxiolytic dependence, in remission |
| F13220 | MBD020 | Sedative, hypnotic or anxiolytic dependence with intoxication, uncomplicated |
| F13221 | MBD020 | Sedative, hypnotic or anxiolytic dependence with intoxication delirium |
| F13229 | MBD020 | Sedative, hypnotic or anxiolytic dependence with intoxication, unspecified |
| F13230 | MBD020 | Sedative, hypnotic or anxiolytic dependence with withdrawal, uncomplicated |
| F13231 | MBD020 | Sedative, hypnotic or anxiolytic dependence with withdrawal delirium |
| F13232 | MBD020 | Sedative, hypnotic or anxiolytic dependence with withdrawal with perceptual disturbance |
| F13239 | MBD020 | Sedative, hypnotic or anxiolytic dependence with withdrawal, unspecified |
| F1324 | MBD020 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced mood disorder |
| F13250 | MBD001 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder with delusions |
| F13251 | MBD001 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations |
| F13259 | MBD001 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified |
| F1326 | MBD020 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced persisting amnestic disorder |
| F1327 | MBD020 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced persisting dementia |
| F13280 | MBD005 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced anxiety disorder |
| F13281 | MBD020 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced sexual dysfunction |
| F13282 | MBD020 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced sleep disorder |

| Table 6: CCS 661 | Substance-related | d Disorders |
|-------------------------|---------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| ICD-10-CM Code | CCSR Category 1 | CCSR Category 1 Description |
| F13288 | MBD020 | Sedative, hypnotic or anxiolytic dependence with other sedative, hypnotic or anxiolytic-induced disorder |
| | | Sedative, hypnotic or anxiolytic dependence with |
| F1329 | MBD020 | unspecified sedative, hypnotic or anxiolytic-induced disorder |
| F1390 | MBD020 | Sedative, hypnotic, or anxiolytic use, unspecified, uncomplicated |
| F13920 | MBD020 | Sedative, hypnotic or anxiolytic use, unspecified with intoxication, uncomplicated |
| F13921 | MBD020 | Sedative, hypnotic or anxiolytic use, unspecified with intoxication delirium |
| F13929 | MBD020 | Sedative, hypnotic or anxiolytic use, unspecified with intoxication, unspecified |
| F13930 | MBD020 | Sedative, hypnotic or anxiolytic use, unspecified with withdrawal, uncomplicated |
| F13931 | MBD020 | Sedative, hypnotic or anxiolytic use, unspecified with withdrawal delirium |
| F13932 | MBD020 | Sedative, hypnotic or anxiolytic use, unspecified with withdrawal with perceptual disturbances |
| F13939 | MBD020 | Sedative, hypnotic or anxiolytic use, unspecified with withdrawal, unspecified |
| F1394 | MBD020 | Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced mood disorder |
| F13950 | MBD001 | Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder with delusions |
| F13951 | MBD001 | Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations |
| F13959 | MBD001 | Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified |
| F1396 | MBD020 | Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced persisting amnestic disorder |
| F1397 | MBD020 | Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced persisting dementia |
| F13980 | MBD005 | Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced anxiety disorder |
| F13981 | MBD020 | Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced sexual dysfunction |
| F13982 | MBD020 | Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced sleep disorder |
| F13988 | MBD020 | Sedative, hypnotic or anxiolytic use, unspecified with other sedative, hypnotic or anxiolytic-induced disorder |

| Table 6: CCS 661 | – Substance-related | d Disorders |
|-------------------------|---------------------|----------------------------------------------------------------------------------------------------------------------|
| ICD-10-CM Code | CCSR Category 1 | CCSR Category 1 Description |
| F1399 | MBD020 | Sedative, hypnotic or anxiolytic use, unspecified with unspecified sedative, hypnotic or anxiolytic-induced disorder |
| F1410 | MBD021 | Cocaine abuse, uncomplicated |
| F1411 | MBD026 | Cocaine abuse, in remission |
| F14120 | MBD021 | Cocaine abuse with intoxication, uncomplicated |
| F14121 | MBD021 | Cocaine abuse with intoxication with delirium |
| F14122 | MBD021 | Cocaine abuse with intoxication with perceptual disturbance |
| F14129 | MBD021 | Cocaine abuse with intoxication, unspecified |
| F1414 | MBD021 | Cocaine abuse with cocaine-induced mood disorder |
| F14150 | MBD001 | Cocaine abuse with cocaine-induced psychotic disorder with delusions |
| F14151 | MBD001 | Cocaine abuse with cocaine-induced psychotic disorder with hallucinations |
| F14159 | MBD001 | Cocaine abuse with cocaine-induced psychotic disorder, unspecified |
| F14180 | MBD005 | Cocaine abuse with cocaine-induced anxiety disorder |
| F14181 | MBD021 | Cocaine abuse with cocaine-induced sexual dysfunction |
| F14182 | MBD021 | Cocaine abuse with cocaine-induced sleep disorder |
| F14188 | MBD021 | Cocaine abuse with other cocaine-induced disorder |
| F1419 | MBD021 | Cocaine abuse with unspecified cocaine-induced disorder |
| F1420 | MBD021 | Cocaine dependence, uncomplicated |
| F1421 | MBD026 | Cocaine dependence, in remission |
| F14220 | MBD021 | Cocaine dependence with intoxication, uncomplicated |
| F14221 | MBD021 | Cocaine dependence with intoxication delirium |
| F14222 | MBD021 | Cocaine dependence with intoxication with perceptual disturbance |
| F14229 | MBD021 | Cocaine dependence with intoxication, unspecified |
| F1423 | MBD021 | Cocaine dependence with withdrawal |
| F1424 | MBD021 | Cocaine dependence with cocaine-induced mood disorder |
| F14250 | MBD001 | Cocaine dependence with cocaine-induced psychotic disorder with delusions |
| F14251 | MBD001 | Cocaine dependence with cocaine-induced psychotic disorder with hallucinations |
| F14259 | MBD001 | Cocaine dependence with cocaine-induced psychotic disorder, unspecified |
| F14280 | MBD005 | Cocaine dependence with cocaine-induced anxiety disorder |
| F14281 | MBD021 | Cocaine dependence with cocaine-induced sexual dysfunction |

| 100 40 014 0 | 1 | d Disorders |
|----------------|-----------------|--------------------------------------------------------------------------------------|
| ICD-10-CM Code | CCSR Category 1 | CCSR Category 1 Description |
| F14282 | MBD021 | Cocaine dependence with cocaine-induced sleep disorder |
| F14288 | MBD021 | Cocaine dependence with other cocaine-induced disorder |
| F1429 | MBD021 | Cocaine dependence with unspecified cocaine-induced disorder |
| F1490 | MBD021 | Cocaine use, unspecified, uncomplicated |
| F14920 | MBD021 | Cocaine use, unspecified with intoxication, uncomplicated |
| F14921 | MBD021 | Cocaine use, unspecified with intoxication delirium |
| F14922 | MBD021 | Cocaine use, unspecified with intoxication with perceptual disturbance |
| F14929 | MBD021 | Cocaine use, unspecified with intoxication, unspecified |
| F1494 | MBD021 | Cocaine use, unspecified with cocaine-induced mood disorder |
| F14950 | MBD001 | Cocaine use, unspecified with cocaine-induced psychotic disorder with delusions |
| F14951 | MBD001 | Cocaine use, unspecified with cocaine-induced psychotic disorder with hallucinations |
| F14959 | MBD001 | Cocaine use, unspecified with cocaine-induced psychotic disorder, unspecified |
| F14980 | MBD005 | Cocaine use, unspecified with cocaine-induced anxiety disorder |
| F14981 | MBD021 | Cocaine use, unspecified with cocaine-induced sexual dysfunction |
| F14982 | MBD021 | Cocaine use, unspecified with cocaine-induced sleep disorder |
| F14988 | MBD021 | Cocaine use, unspecified with other cocaine-induced disorder |
| F1499 | MBD021 | Cocaine use, unspecified with unspecified cocaine-induced disorder |
| F1510 | MBD021 | Other stimulant abuse, uncomplicated |
| F1511 | MBD026 | Other stimulant abuse, in remission |
| F15120 | MBD021 | Other stimulant abuse with intoxication, uncomplicated |
| F15121 | MBD021 | Other stimulant abuse with intoxication delirium |
| F15122 | MBD021 | Other stimulant abuse with intoxication with perceptual disturbance |
| F15129 | MBD021 | Other stimulant abuse with intoxication, unspecified |
| F1514 | MBD021 | Other stimulant abuse with stimulant-induced mood disorder |
| F15150 | MBD001 | Other stimulant abuse with stimulant-induced psychotic disorder with delusions |
| F15151 | MBD001 | Other stimulant abuse with stimulant-induced psychotic disorder with hallucinations |
| F15159 | MBD001 | Other stimulant abuse with stimulant-induced psychotic disorder, unspecified |

| Table 6: CCS 661 – Substance-related Disorders | | |
|------------------------------------------------|-----------------|------------------------------------------------------------------------------------------|
| ICD-10-CM Code | CCSR Category 1 | CCSR Category 1 Description |
| F15180 | MBD005 | Other stimulant abuse with stimulant-induced anxiety disorder |
| F15181 | MBD021 | Other stimulant abuse with stimulant-induced sexual dysfunction |
| F15182 | MBD021 | Other stimulant abuse with stimulant-induced sleep disorder |
| F15188 | MBD021 | Other stimulant abuse with other stimulant-induced disorder |
| F1519 | MBD021 | Other stimulant abuse with unspecified stimulant-induced disorder |
| F1520 | MBD021 | Other stimulant dependence, uncomplicated |
| F1521 | MBD026 | Other stimulant dependence, in remission |
| F15220 | MBD021 | Other stimulant dependence with intoxication, uncomplicated |
| F15221 | MBD021 | Other stimulant dependence with intoxication delirium |
| F15222 | MBD021 | Other stimulant dependence with intoxication with perceptual disturbance |
| F15229 | MBD021 | Other stimulant dependence with intoxication, unspecified |
| F1523 | MBD021 | Other stimulant dependence with withdrawal |
| F1524 | MBD021 | Other stimulant dependence with stimulant-induced mood disorder |
| F15250 | MBD001 | Other stimulant dependence with stimulant-induced psychotic disorder with delusions |
| F15251 | MBD001 | Other stimulant dependence with stimulant-induced psychotic disorder with hallucinations |
| F15259 | MBD001 | Other stimulant dependence with stimulant-induced psychotic disorder, unspecified |
| F15280 | MBD005 | Other stimulant dependence with stimulant-induced anxiety disorder |
| F15281 | MBD021 | Other stimulant dependence with stimulant-induced sexual dysfunction |
| F15282 | MBD021 | Other stimulant dependence with stimulant-induced sleep disorder |
| F15288 | MBD021 | Other stimulant dependence with other stimulant-induced disorder |
| F1529 | MBD021 | Other stimulant dependence with unspecified stimulant-induced disorder |
| F1590 | MBD021 | Other stimulant use, unspecified, uncomplicated |
| F15920 | MBD021 | Other stimulant use, unspecified with intoxication, uncomplicated |
| F15921 | MBD021 | Other stimulant use, unspecified with intoxication delirium |
| F15922 | MBD021 | Other stimulant use, unspecified with intoxication with perceptual disturbance |

| 10D 46 011 0 : | 0000 0 1 | d Disorders |
|----------------|-----------------|------------------------------------------------------------------------------------------------|
| ICD-10-CM Code | CCSR Category 1 | CCSR Category 1 Description |
| F15929 | MBD021 | Other stimulant use, unspecified with intoxication, unspecified |
| F1593 | MBD021 | Other stimulant use, unspecified with withdrawal |
| F1594 | MBD021 | Other stimulant use, unspecified with stimulant-induced mood disorder |
| F15950 | MBD001 | Other stimulant use, unspecified with stimulant-induced psychotic disorder with delusions |
| F15951 | MBD001 | Other stimulant use, unspecified with stimulant-induced psychotic disorder with hallucinations |
| F15959 | MBD001 | Other stimulant use, unspecified with stimulant-induced psychotic disorder, unspecified |
| F15980 | MBD005 | Other stimulant use, unspecified with stimulant-induced anxiety disorder |
| F15981 | MBD021 | Other stimulant use, unspecified with stimulant-induced sexual dysfunction |
| F15982 | MBD021 | Other stimulant use, unspecified with stimulant-induced sleep disorder |
| F15988 | MBD021 | Other stimulant use, unspecified with other stimulant-induced disorder |
| F1599 | MBD021 | Other stimulant use, unspecified with unspecified stimulant-induced disorder |
| F1610 | MBD022 | Hallucinogen abuse, uncomplicated |
| F1611 | MBD026 | Hallucinogen abuse, in remission |
| F16120 | MBD022 | Hallucinogen abuse with intoxication, uncomplicated |
| F16121 | MBD022 | Hallucinogen abuse with intoxication with delirium |
| F16122 | MBD022 | Hallucinogen abuse with intoxication with perceptual disturbance |
| F16129 | MBD022 | Hallucinogen abuse with intoxication, unspecified |
| F1614 | MBD022 | Hallucinogen abuse with hallucinogen-induced mood disorder |
| F16150 | MBD001 | Hallucinogen abuse with hallucinogen-induced psychotic disorder with delusions |
| F16151 | MBD001 | Hallucinogen abuse with hallucinogen-induced psychotic disorder with hallucinations |
| F16159 | MBD001 | Hallucinogen abuse with hallucinogen-induced psychotic disorder, unspecified |
| F16180 | MBD005 | Hallucinogen abuse with hallucinogen-induced anxiety disorder |
| F16183 | MBD022 | Hallucinogen abuse with hallucinogen persisting perception disorder (flashbacks) |
| F16188 | MBD022 | Hallucinogen abuse with other hallucinogen-induced disorder |
| F1619 | MBD022 | Hallucinogen abuse with unspecified hallucinogen-induced disorder |
| F1620 | MBD022 | Hallucinogen dependence, uncomplicated |
| F1621 | MBD026 | Hallucinogen dependence, in remission |

| | - Substance-related | |
|----------------|---------------------|------------------------------------------------------------------------------------------------|
| ICD-10-CM Code | CCSR Category 1 | CCSR Category 1 Description |
| F16220 | MBD022 | Hallucinogen dependence with intoxication, uncomplicated |
| F16221 | MBD022 | Hallucinogen dependence with intoxication with delirium |
| F16229 | MBD022 | Hallucinogen dependence with intoxication, unspecified |
| F1624 | MBD022 | Hallucinogen dependence with hallucinogen-induced mood disorder |
| F16250 | MBD001 | Hallucinogen dependence with hallucinogen-induced psychotic disorder with delusions |
| F16251 | MBD001 | Hallucinogen dependence with hallucinogen-induced psychotic disorder with hallucinations |
| F16259 | MBD001 | Hallucinogen dependence with hallucinogen-induced psychotic disorder, unspecified |
| F16280 | MBD005 | Hallucinogen dependence with hallucinogen-induced anxiety disorder |
| F16283 | MBD022 | Hallucinogen dependence with hallucinogen persisting perception disorder (flashbacks) |
| F16288 | MBD022 | Hallucinogen dependence with other hallucinogen- induced disorder |
| F1629 | MBD022 | Hallucinogen dependence with unspecified hallucinogen induced disorder |
| F1690 | MBD022 | Hallucinogen use, unspecified, uncomplicated |
| F16920 | MBD022 | Hallucinogen use, unspecified with intoxication, uncomplicated |
| F16921 | MBD022 | Hallucinogen use, unspecified with intoxication with delirium |
| F16929 | MBD022 | Hallucinogen use, unspecified with intoxication, unspecified |
| F1694 | MBD022 | Hallucinogen use, unspecified with hallucinogen-induced mood disorder |
| F16950 | MBD001 | Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder with delusions |
| F16951 | MBD001 | Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder with hallucinations |
| F16959 | MBD001 | Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder, unspecified |
| F16980 | MBD005 | Hallucinogen use, unspecified with hallucinogen-induced anxiety disorder |
| F16983 | MBD022 | Hallucinogen use, unspecified with hallucinogen persisting perception disorder (flashbacks) |
| F16988 | MBD022 | Hallucinogen use, unspecified with other hallucinogen-induced disorder |
| F1699 | MBD022 | Hallucinogen use, unspecified with unspecified hallucinogen-induced disorder |
| F17200 | MBD024 | Nicotine dependence, unspecified, uncomplicated |
| F17201 | MBD026 | Nicotine dependence, unspecified, in remission |
| F17203 | MBD024 | Nicotine dependence unspecified, with withdrawal |

| 100 40 611 6 : | 0000 0.1 | 000D 0-1 4 D1-11 |
|-------------------------|-----------------|-----------------------------------------------------------------------------------------|
| ICD-10-CM Code | CCSR Category 1 | CCSR Category 1 Description |
| F17208 | MBD024 | Nicotine dependence, unspecified, with other nicotine-induced disorders |
| - 4 - 200 | MDDOOA | Nicotine dependence, unspecified, with unspecified |
| F17209 | MBD024 | nicotine-induced disorders |
| F17210 | MBD024 | Nicotine dependence, cigarettes, uncomplicated |
| F17211 | MBD026 | Nicotine dependence, cigarettes, in remission |
| F17213 | MBD024 | Nicotine dependence, cigarettes, with withdrawal |
| F17218 | MBD024 | Nicotine dependence, cigarettes, with other nicotine-induced disorders |
| F17219 | MBD024 | Nicotine dependence, cigarettes, with unspecified nicotine-induced disorders |
| F17220 | MBD024 | Nicotine dependence, chewing tobacco, uncomplicated |
| F17221 | MBD026 | Nicotine dependence, chewing tobacco, in remission |
| F17223 | MBD024 | Nicotine dependence, chewing tobacco, with withdrawal |
| F17228 | MBD024 | Nicotine dependence, chewing tobacco, with other nicotine-induced disorders |
| F17229 | MBD024 | Nicotine dependence, chewing tobacco, with unspecified nicotine-induced disorders |
| F17290 | MBD024 | Nicotine dependence, other tobacco product, uncomplicated |
| F17291 | MBD026 | Nicotine dependence, other tobacco product, in remission |
| F17293 | MBD024 | Nicotine dependence, other tobacco product, with withdrawal |
| F17298 | MBD024 | Nicotine dependence, other tobacco product, with other nicotine-induced disorders |
| F17299 | MBD024 | Nicotine dependence, other tobacco product, with unspecified nicotine-induced disorders |
| F1810 | MBD023 | Inhalant abuse, uncomplicated |
| F1811 | MBD026 | Inhalant abuse, in remission |
| F18120 | MBD023 | Inhalant abuse with intoxication, uncomplicated |
| F18121 | MBD023 | Inhalant abuse with intoxication delirium |
| F18129 | MBD023 | Inhalant abuse with intoxication, unspecified |
| F1814 | MBD023 | Inhalant abuse with inhalant-induced mood disorder |
| F18150 | MBD001 | Inhalant abuse with inhalant-induced psychotic disorder with delusions |
| F18151 | MBD001 | Inhalant abuse with inhalant-induced psychotic disorder with hallucinations |
| F18159 | MBD001 | Inhalant abuse with inhalant-induced psychotic disorder, unspecified |
| F1817 | MBD023 | Inhalant abuse with inhalant-induced dementia |
| F18180 | MBD005 | Inhalant abuse with inhalant-induced anxiety disorder |
| F18188 | MBD023 | Inhalant abuse with other inhalant-induced disorder |
| F1819 | MBD023 | Inhalant abuse with unspecified inhalant-induced disorder |

| Table 6: CCS 661 | – Substance-related | d Disorders |
|-------------------------|---------------------|----------------------------------------------------------------------------------------|
| ICD-10-CM Code | CCSR Category 1 | CCSR Category 1 Description |
| F1820 | MBD023 | Inhalant dependence, uncomplicated |
| F1821 | MBD026 | Inhalant dependence, in remission |
| F18220 | MBD023 | Inhalant dependence with intoxication, uncomplicated |
| F18221 | MBD023 | Inhalant dependence with intoxication delirium |
| F18229 | MBD023 | Inhalant dependence with intoxication, unspecified |
| F1824 | MBD023 | Inhalant dependence with inhalant-induced mood disorder |
| F18250 | MBD001 | Inhalant dependence with inhalant-induced psychotic disorder with delusions |
| F18251 | MBD001 | Inhalant dependence with inhalant-induced psychotic disorder with hallucinations |
| F18259 | MBD001 | Inhalant dependence with inhalant-induced psychotic disorder, unspecified |
| F1827 | MBD023 | Inhalant dependence with inhalant-induced dementia |
| F18280 | MBD005 | Inhalant dependence with inhalant-induced anxiety disorder |
| F18288 | MBD023 | Inhalant dependence with other inhalant-induced disorder |
| F1829 | MBD023 | Inhalant dependence with unspecified inhalant-induced disorder |
| F1890 | MBD023 | Inhalant use, unspecified, uncomplicated |
| F18920 | MBD023 | Inhalant use, unspecified with intoxication, uncomplicated |
| F18921 | MBD023 | Inhalant use, unspecified with intoxication with delirium |
| F18929 | MBD023 | Inhalant use, unspecified with intoxication, unspecified |
| F1894 | MBD023 | Inhalant use, unspecified with inhalant-induced mood disorder |
| F18950 | MBD001 | Inhalant use, unspecified with inhalant-induced psychotic disorder with delusions |
| F18951 | MBD001 | Inhalant use, unspecified with inhalant-induced psychotic disorder with hallucinations |
| F18959 | MBD001 | Inhalant use, unspecified with inhalant-induced psychotic disorder, unspecified |
| F1897 | MBD023 | Inhalant use, unspecified with inhalant-induced persisting dementia |
| F18980 | MBD005 | Inhalant use, unspecified with inhalant-induced anxiety disorder |
| F18988 | MBD023 | Inhalant use, unspecified with other inhalant-induced disorder |
| F1899 | MBD023 | Inhalant use, unspecified with unspecified inhalant- induced disorder |
| F1910 | MBD025 | Other psychoactive substance abuse, uncomplicated |
| F1911 | MBD026 | Other psychoactive substance abuse, in remission |
| F19120 | MBD025 | Other psychoactive substance abuse with intoxication, uncomplicated |

| Table 6: CCS 661 | | DISORGETS |
|-------------------------|-----------------|---------------------------------------------------------------------------------------------------------------|
| ICD-10-CM Code | CCSR Category 1 | CCSR Category 1 Description |
| F19121 | MBD025 | Other psychoactive substance abuse with intoxication delirium |
| F19122 | MBD025 | Other psychoactive substance abuse with intoxication with perceptual disturbances |
| F19129 | MBD025 | Other psychoactive substance abuse with intoxication, unspecified |
| F1914 | MBD025 | Other psychoactive substance abuse with psychoactive substance-induced mood disorder |
| F19150 | MBD001 | Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder with delusions |
| F19151 | MBD001 | Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder with hallucinations |
| F19159 | MBD001 | Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder, unspecified |
| F1916 | MBD025 | Other psychoactive substance abuse with psychoactive substance-induced persisting amnestic disorder |
| F1917 | MBD025 | Other psychoactive substance abuse with psychoactive substance-induced persisting dementia |
| F19180 | MBD005 | Other psychoactive substance abuse with psychoactive substance-induced anxiety disorder |
| F19181 | MBD025 | Other psychoactive substance abuse with psychoactive substance-induced sexual dysfunction |
| F19182 | MBD025 | Other psychoactive substance abuse with psychoactive substance-induced sleep disorder |
| F19188 | MBD025 | Other psychoactive substance abuse with other psychoactive substance-induced disorder |
| F1919 | MBD025 | Other psychoactive substance abuse with unspecified psychoactive substance-induced disorder |
| F1920 | MBD025 | Other psychoactive substance dependence, uncomplicated |
| F1921 | MBD026 | Other psychoactive substance dependence, in remission |
| F19220 | MBD025 | Other psychoactive substance dependence with intoxication, uncomplicated |
| F19221 | MBD025 | Other psychoactive substance dependence with intoxication delirium |
| F19222 | MBD025 | Other psychoactive substance dependence with intoxication with perceptual disturbance |
| F19229 | MBD025 | Other psychoactive substance dependence with intoxication, unspecified |
| F19230 | MBD025 | Other psychoactive substance dependence with withdrawal, uncomplicated |
| F19231 | MBD025 | Other psychoactive substance dependence with withdrawal delirium |
| F19232 | MBD025 | Other psychoactive substance dependence with withdrawal with perceptual disturbance |
| F19239 | MBD025 | Other psychoactive substance dependence with withdrawal, unspecified |

| Table 6: CCS 661 | - Substance-related | d Disorders |
|-------------------------|---------------------|--------------------------------------------------------------------------------------------------------------------|
| ICD-10-CM Code | CCSR Category 1 | CCSR Category 1 Description |
| F1924 | MBD025 | Other psychoactive substance dependence with psychoactive substance-induced mood disorder |
| F19250 | MBD001 | Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder with delusions |
| F19251 | MBD001 | Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder with hallucinations |
| F19259 | MBD001 | Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder, unspecified |
| F1926 | MBD025 | Other psychoactive substance dependence with psychoactive substance-induced persisting amnestic disorder |
| F1927 | MBD025 | Other psychoactive substance dependence with psychoactive substance-induced persisting dementia |
| F19280 | MBD005 | Other psychoactive substance dependence with psychoactive substance-induced anxiety disorder |
| F19281 | MBD025 | Other psychoactive substance dependence with psychoactive substance-induced sexual dysfunction |
| F19282 | MBD025 | Other psychoactive substance dependence with psychoactive substance-induced sleep disorder |
| F19288 | MBD025 | Other psychoactive substance dependence with other psychoactive substance-induced disorder |
| F1929 | MBD025 | Other psychoactive substance dependence with unspecified psychoactive substance-induced disorder |
| F1990 | MBD025 | Other psychoactive substance use, unspecified, uncomplicated |
| F19920 | MBD025 | Other psychoactive substance use, unspecified with intoxication, uncomplicated |
| F19921 | MBD025 | Other psychoactive substance use, unspecified with intoxication with delirium |
| F19922 | MBD025 | Other psychoactive substance use, unspecified with intoxication with perceptual disturbance |
| F19929 | MBD025 | Other psychoactive substance use, unspecified with intoxication, unspecified |
| F19930 | MBD025 | Other psychoactive substance use, unspecified with withdrawal, uncomplicated |
| F19931 | MBD025 | Other psychoactive substance use, unspecified with withdrawal delirium |
| F19932 | MBD025 | Other psychoactive substance use, unspecified with withdrawal with perceptual disturbance |
| F19939 | MBD025 | Other psychoactive substance use, unspecified with withdrawal, unspecified |
| F1994 | MBD025 | Other psychoactive substance use, unspecified with psychoactive substance-induced mood disorder |

| Table 6: CCS 661 | – Substance-related | d Disorders |
|------------------|---------------------|--------------------------------------------------------------------------------------------------------------------------|
| ICD-10-CM Code | CCSR Category 1 | CCSR Category 1 Description |
| F19950 | MBD001 | Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder with delusions |
| F19951 | MBD001 | Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder with hallucinations |
| F19959 | MBD001 | Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder, unspecified |
| F1996 | MBD025 | Other psychoactive substance use, unspecified with psychoactive substance-induced persisting amnestic disorder |
| F1997 | MBD025 | Other psychoactive substance use, unspecified with psychoactive substance-induced persisting dementia |
| F19980 | MBD005 | Other psychoactive substance use, unspecified with psychoactive substance-induced anxiety disorder |
| F19981 | MBD025 | Other psychoactive substance use, unspecified with psychoactive substance-induced sexual dysfunction |
| F19982 | MBD025 | Other psychoactive substance use, unspecified with psychoactive substance-induced sleep disorder |
| F19988 | MBD025 | Other psychoactive substance use, unspecified with other psychoactive substance-induced disorder |
| F1999 | MBD025 | Other psychoactive substance use, unspecified with unspecified psychoactive substance-induced disorder |
| F550 | MBD013 | Abuse of antacids |
| F551 | MBD013 | Abuse of herbal or folk remedies |
| F552 | MBD013 | Abuse of laxatives |
| F553 | MBD013 | Abuse of steroids or hormones |
| F554 | MBD013 | Abuse of vitamins |
| F558 | MBD013 | Abuse of other non-psychoactive substances |
| O355XX0 | MBD025 | Maternal care for (suspected) damage to fetus by drugs, not applicable or unspecified |
| O355XX1 | MBD025 | Maternal care for (suspected) damage to fetus by drugs, fetus 1 |
| O355XX2 | MBD025 | Maternal care for (suspected) damage to fetus by drugs, fetus 2 |
| O355XX3 | MBD025 | Maternal care for (suspected) damage to fetus by drugs, fetus 3 |
| O355XX4 | MBD025 | Maternal care for (suspected) damage to fetus by drugs, fetus 4 |
| O355XX5 | MBD025 | Maternal care for (suspected) damage to fetus by drugs, fetus 5 |
| O355XX9 | MBD025 | Maternal care for (suspected) damage to fetus by drugs, other fetus |
| O99320 | MBD025 | Drug use complicating pregnancy, unspecified trimester |
| O99321 | MBD025 | Drug use complicating pregnancy, first trimester |

| | Substance-related | |
|----------------|---------------------------------------|-----------------------------------------------------------------------|
| ICD-10-CM Code | CCSR Category 1 | CCSR Category 1 Description |
| O99322 | MBD025 | Drug use complicating pregnancy, second trimester |
| O99323 | MBD025 | Drug use complicating pregnancy, third trimester |
| O99324 | MBD025 | Drug use complicating childbirth |
| O99325 | MBD025 | Drug use complicating the puerperium |
| P0441 | PNL010 | Newborn affected by maternal use of cocaine |
| P0449 | PNL010 | Newborn affected by maternal use of other drugs of addiction |
| P961 | PNL010 | Neonatal withdrawal symptoms from maternal use of drugs of addiction |
| P962 | PNL014 | Withdrawal symptoms from therapeutic use of drugs in newborn |
| T400X1A | EXT014 | Poisoning by opium, accidental (unintentional), initial encounter |
| T400X1D | INJ059 | Poisoning by opium, accidental (unintentional), subsequent encounter |
| T400X1S | INJ075 | Poisoning by opium, accidental (unintentional), sequela |
| T400X3A | EXT014 | Poisoning by opium, assault, initial encounter |
| T400X3D | INJ059 | Poisoning by opium, assault, subsequent encounter |
| T400X3S | INJ075 | Poisoning by opium, assault, sequela |
| T400X4A | EXT014 | Poisoning by opium, undetermined, initial encounter |
| T400X4D | INJ059 | Poisoning by opium, undetermined, subsequent encounter |
| T400X4S | INJ075 | Poisoning by opium, undetermined, sequela |
| T400X5A | INJ028 | Adverse effect of opium, initial encounter |
| T400X5D | INJ065 | Adverse effect of opium, subsequent encounter |
| T400X5S | INJ075 | Adverse effect of opium, sequela |
| T400X6A | INJ029 | Underdosing of opium, initial encounter |
| T400X6D | INJ066 | Underdosing of opium, subsequent encounter |
| T400X6S | INJ075 | Underdosing of opium, sequela |
| T401X1A | EXT014 | Poisoning by heroin, accidental (unintentional), initial encounter |
| T401X1D | INJ059 | Poisoning by heroin, accidental (unintentional), subsequent encounter |
| T401X1S | INJ075 | Poisoning by heroin, accidental (unintentional), sequela |
| T401X3A | EXT014 | Poisoning by heroin, assault, initial encounter |
| T401X3D | INJ059 | Poisoning by heroin, assault, subsequent encounter |
| T401X3S | INJ075 | Poisoning by heroin, assault, sequela |
| T401X4A | EXT014 | Poisoning by heroin, undetermined, initial encounter |
| T401X4D | INJ059 | Poisoning by heroin, undetermined, subsequent encounter |
| T401X4S | INJ075 | Poisoning by heroin, undetermined, sequela |
| T405X1A | EXT014 | Poisoning by cocaine, accidental (unintentional), initial encounter |

| ICD-10-CM Code | CCSB Cotomomit | CCCP Cotogomy 1 Decembring |
|----------------|-----------------|---------------------------------------------------------------------------------------|
| ICD-10-CW Code | CCSR Category 1 | CCSR Category 1 Description |
| T405X1D | INJ059 | Poisoning by cocaine, accidental (unintentional), subsequent encounter |
| T405X1S | INJ075 | Poisoning by cocaine, accidental (unintentional), sequela |
| T405X3A | EXT014 | Poisoning by cocaine, assault, initial encounter |
| T405X3D | INJ059 | Poisoning by cocaine, assault, subsequent encounter |
| T405X3S | INJ075 | Poisoning by cocaine, assault, sequela |
| T405X4A | EXT014 | Poisoning by cocaine, undetermined, initial encounter |
| T405X4D | INJ059 | Poisoning by cocaine, undetermined, subsequent encounter |
| T405X4S | INJ075 | Poisoning by cocaine, undetermined, sequela |
| T405X5A | INJ028 | Adverse effect of cocaine, initial encounter |
| T405X5D | INJ065 | Adverse effect of cocaine, subsequent encounter |
| T405X5S | INJ075 | Adverse effect of cocaine, sequela |
| T405X6A | INJ029 | Underdosing of cocaine, initial encounter |
| T405X6D | INJ066 | Underdosing of cocaine, subsequent encounter |
| T405X6S | INJ075 | Underdosing of cocaine, sequela |
| T407X1A | EXT014 | Poisoning by cannabis (derivatives), accidental (unintentional), initial encounter |
| T407X1D | INJ059 | Poisoning by cannabis (derivatives), accidental (unintentional), subsequent encounter |
| T407X1S | INJ075 | Poisoning by cannabis (derivatives), accidental (unintentional), sequela |
| T407X3A | EXT014 | Poisoning by cannabis (derivatives), assault, initial encounter |
| T407X3D | INJ059 | Poisoning by cannabis (derivatives), assault, subsequen encounter |
| T407X3S | INJ075 | Poisoning by cannabis (derivatives), assault, sequela |
| T407X4A | EXT014 | Poisoning by cannabis (derivatives), undetermined, initial encounter |
| T407X4D | INJ059 | Poisoning by cannabis (derivatives), undetermined, subsequent encounter |
| T407X4S | INJ075 | Poisoning by cannabis (derivatives), undetermined, sequela |
| T407X5A | INJ028 | Adverse effect of cannabis (derivatives), initial encounte |
| T407X5D | INJ065 | Adverse effect of cannabis (derivatives), subsequent encounter |
| T407X5S | INJ075 | Adverse effect of cannabis (derivatives), sequela |
| T407X6A | INJ029 | Underdosing of cannabis (derivatives), initial encounter |
| T407X6D | INJ066 | Underdosing of cannabis (derivatives), subsequent encounter |
| T407X6S | INJ075 | Underdosing of cannabis (derivatives), sequela |

| Table 6: CCS 661 | – Substance-related | d Disorders |
|-------------------------|------------------------|-------------------------------------------------------------------------------------------------------------|
| ICD-10-CM Code | CCSR Category 1 | CCSR Category 1 Description |
| T408X1A | EXT014 | Poisoning by lysergide [LSD], accidental (unintentional), initial encounter |
| T408X1D | INJ059 | Poisoning by lysergide [LSD], accidental (unintentional), subsequent encounter |
| T408X1S | INJ075 | Poisoning by lysergide [LSD], accidental (unintentional), sequela |
| T408X3A | EXT014 | Poisoning by lysergide [LSD], assault, initial encounter |
| T408X3D | INJ059 | Poisoning by lysergide [LSD], assault, subsequent encounter |
| T408X3S | INJ075 | Poisoning by lysergide [LSD], assault, sequela |
| T408X4A | EXT014 | Poisoning by lysergide [LSD], undetermined, initial encounter |
| T408X4D | INJ059 | Poisoning by lysergide [LSD], undetermined, subsequent encounter |
| T408X4S | INJ075 | Poisoning by lysergide [LSD], undetermined, sequela |
| T40901A | EXT014 | Poisoning by unspecified psychodysleptics [hallucinogens], accidental (unintentional), initial encounter |
| T40901D | INJ059 | Poisoning by unspecified psychodysleptics [hallucinogens], accidental (unintentional), subsequent encounter |
| T40901S | INJ075 | Poisoning by unspecified psychodysleptics [hallucinogens], accidental (unintentional), sequela |
| T40903A | EXT014 | Poisoning by unspecified psychodysleptics [hallucinogens], assault, initial encounter |
| T40903D | INJ059 | Poisoning by unspecified psychodysleptics [hallucinogens], assault, subsequent encounter |
| T40903S | INJ075 | Poisoning by unspecified psychodysleptics [hallucinogens], assault, sequela |
| T40904A | EXT014 | Poisoning by unspecified psychodysleptics [hallucinogens], undetermined, initial encounter |
| T40904D | INJ059 | Poisoning by unspecified psychodysleptics [hallucinogens], undetermined, subsequent encounter |
| T40904S | INJ075 | Poisoning by unspecified psychodysleptics [hallucinogens], undetermined, sequela |
| T40905A | INJ028 | Adverse effect of unspecified psychodysleptics [hallucinogens], initial encounter |
| T40905D | INJ065 | Adverse effect of unspecified psychodysleptics [hallucinogens], subsequent encounter |
| T40905S | INJ075 | Adverse effect of unspecified psychodysleptics [hallucinogens], sequela |

| Table 6: CCS 661 | Table 6: CCS 661 – Substance-related Disorders | | |
|-------------------------|------------------------------------------------|-------------------------------------------------------------------------------------------------------|--|
| ICD-10-CM Code | CCSR Category 1 | CCSR Category 1 Description | |
| T40906A | INJ029 | Underdosing of unspecified psychodysleptics, initial encounter | |
| T40906D | INJ066 | Underdosing of unspecified psychodysleptics, subsequent encounter | |
| T40906S | INJ075 | Underdosing of unspecified psychodysleptics, sequela | |
| T40991A | EXT014 | Poisoning by other psychodysleptics [hallucinogens], accidental (unintentional), initial encounter | |
| T40991D | INJ059 | Poisoning by other psychodysleptics [hallucinogens], accidental (unintentional), subsequent encounter | |
| T40991S | INJ075 | Poisoning by other psychodysleptics [hallucinogens], accidental (unintentional), sequela | |
| T40993A | EXT014 | Poisoning by other psychodysleptics [hallucinogens], assault, initial encounter | |
| T40993D | INJ059 | Poisoning by other psychodysleptics [hallucinogens], assault, subsequent encounter | |
| T40993S | INJ075 | Poisoning by other psychodysleptics [hallucinogens], assault, sequela | |
| T40994A | EXT014 | Poisoning by other psychodysleptics [hallucinogens], undetermined, initial encounter | |
| T40994D | INJ059 | Poisoning by other psychodysleptics [hallucinogens], undetermined, subsequent encounter | |
| T40994S | INJ075 | Poisoning by other psychodysleptics [hallucinogens], undetermined, sequela | |
| T40995A | INJ028 | Adverse effect of other psychodysleptics [hallucinogens], initial encounter | |
| T40995D | INJ065 | Adverse effect of other psychodysleptics [hallucinogens], subsequent encounter | |
| T40995S | INJ075 | Adverse effect of other psychodysleptics [hallucinogens], sequela | |
| T40996A | INJ029 | Underdosing of other psychodysleptics, initial encounter | |
| T40996D | INJ066 | Underdosing of other psychodysleptics, subsequent encounter | |
| T40996S | INJ075 | Underdosing of other psychodysleptics, sequela | |