

Inpatient Psychiatric Facility Quality Reporting Program: Review of IPF-Specific Reports for Claims-Based Measures

Speaker

Rebecca Edelberg, MPH

Health Analyst

Measure Maintenance and Implementation

Behavioral Health Measures Development and Inpatient and Outpatient

Measure Maintenance Contractor

Moderator

Evette Robinson, MPH, CPHQ

Program Lead
Inpatient Psychiatric Facility Quality Reporting (IPFQR) Program
Inpatient Value, Incentives, and Quality Reporting (VIQR)
Outreach and Education Support Contractor

Introduction

The Centers for Medicare & Medicaid Services (CMS) will provide facilities with IPF-specific reports (ISRs) for their claims-based measures (CBMs) for the IPFQR Program before public reporting for FY 2021.

- ISRs are confidential and enable facilities to preview results before the results are made public
- ISRs provide additional information to facilities that is not available to the public to help inform quality improvement

IPFQR Program FY 2021 CBMs

Follow-Up After Hospitalization for Mental Illness (FUH)

- Added to the IPFQR Program in the fiscal year (FY) 2014 IPPS/LTCH PPS Final Rule and first publicly reported in December 2016
- FY 2021 public reporting performance period: July 1, 2018–June 30, 2019

Medication Continuation Following Psychiatric Discharge (Medication Continuation)

- Added to the IPFQR Program in the FY 2020 Inpatient Psychiatric Facilities (IPF) PPS
 Final Rule and will be publicly reported for the first time in January 2021
- FY 2021 public reporting performance period: July 1, 2017–June 30, 2019

30-Day All-Cause Unplanned Readmission Following Psychiatric Hospitalization in an Inpatient Psychiatric Facility (IPF Readmission)

- Added to the IPFQR Program in the FY 2017 IPPS/LTCH PPS Final Rule and first publicly reported in February 2019
- FY 2021 public reporting performance period: July 1, 2017–June 30, 2019

IPPS/LTCH = Inpatient Prospective Payment System/Long-Term Care Hospital

Purpose

This presentation provides the IPF community with ways to access and use ISRs and supporting documents for the FUH, Medication Continuation, and IPF Readmission measures.

Learning Objectives

By the end of the presentation, attendees will know:

- How to access their ISRs and supporting documents
- How to interpret FUH, Medication Continuation, and IPF Readmission ISRs

Webinar Chat Questions

Please email any questions pertinent to the webinar topic to WebinarQuestions@hsag.com with the following information:

- Subject Line: IPFQR Program: Review of ISRs for CBMs
- Email Body: If your question pertains to a specific slide, please include the slide number.

Inpatient Psychiatric Facility Quality Reporting Program: Review of IPF-Specific Reports for Claims-Based Measures

Accessing Your ISR and Supporting Documents

Select Secure File Transfer on the *QualityNet Secure Portal* log-in page and click the Let's Go button.

CMS.gov QualityNet
Choose Your QualityNet Destination Please select your QualityNet destination to reach the correct login screen for your QualityNet portal.
Select Your QualityNet Destination
Select Your QualityNet Destination
Secure File Transfer CMS Data Element Library
End-Stage Renal Disease Quality Reporting System
Physician Quality Reporting System
Quality Improvement Organizations
QIES Business Intelligence Center Hospital Quality Reporting




Log in to the *QualityNet Secure Portal* as shown on the screen.



Click the Secure File Transfer link at the top of the page.



Download your ISRs via the *QualityNet Secure Portal* AutoRoute_inbox.



Accessing the ISR User Guide and Mock ISR

- ISR user guides and mock ISRs for the FUH, Medication Continuation, and IPF Readmission measures will be located on <u>QualityNet</u>.
 - QualityNet > Inpatient Psychiatric Facilities > Public Reporting
 - https://www.qualitynet.org/ipf/public-reporting

Inpatient Psychiatric Facility Quality Reporting Program: Review of IPF-Specific Reports for Claims-Based Measures

Interpreting the FUH ISR

Overview of FUH Measure

- FUH assesses the percentage of IPF hospitalizations for treatment of select mental health disorders that were followed by an outpatient mental health care encounter
- Two rates are reported:
 - The percentage of discharges for which the patient received follow-up within 7 days of discharge
 - The percentage of discharges for which the patient received follow-up within 30 days of discharge

Overview of FUH ISR

Your FUH ISR will contain five worksheets:

- 1. Summary
- 2. Publicly Reported
- 3. Distribution of Rates
- 4. Patient Characteristics
- 5. Discharge-Level Data

Worksheet 1: Summary

- The summary worksheet provides general information on the measure, links to resources, and information on your facility
- Before reviewing the report, check that the name of your IPF and CMS certification number (CCN) are accurate
 - Contact the QualityNet Help Desk if you notice any discrepancies

■ Phone: (866) 288-8912

■ TTY: (877) 715-6222

Email: <u>qnetsupport@hcis.org</u>

Worksheet 2: Publicly Reported Performance Information

This worksheet contains information that will be publicly available on the compare tool hosted by the U.S. Department of Health and Human Services (HHS) in January 2021.

ABLE 1. YOUR FACILITY'S PERFORMANCE ON THE FUH MEASURE								
FUH Performance Information								
Your Facility's Denominator (Measure Population)	85							
Your Facility's Rate								
Your Facility's 7-Day Follow-Up Rate	31.8%							
Your Facility's 30-Day Follow-Up Rate	61.2%							
State Rate								
State 7-Day Follow-Up Rate	29.3%							
State 30-Day Follow-Up Rate	52.9%							
National Rate								
National 7-Day Follow-Up Rate	30.6%							
National 30-Day Follow-Up Rate	52.7%							

For more information on this worksheet, see page 7 of the FUH measure's 2020 User Guide for the IPF-Specific Report.

Worksheet 3: Distribution of Rates

This worksheet provides the nationwide distribution of 7- and 30-day IPF FUH rates at the facility level.

3	PERFORMANCE PERCENTILES									
4				10th	25th	50th	75th	90th	Ť.	1
5	FUH Rate Type	#IPFs	Minimum	Percentile	Percentile	Percentile	Percentile	Percentile	Maximum	Percentile
6	Nationwide Distribution of FUH-7-Day Rates	1,483	0.0%	12.8%	19.0%	28.0%	38.7%	47.9%	96.9%	574
7	Your facility's FUH-7-Day Rate Percentile	44	1998	441	144	441	164	441	144	61st
8	Nationwide Distribution of FUH-30-Day Rates	1,483	5.4%	32.5%	42.9%	52.5%	63.2%	71.7%	96.9%	571
-	Your facility's FUH-30-Day Rate Percentile	221	1/42	226	144	220	742	22	142	71st

For more information on this worksheet, see page 8 of the FUH measure's 2020 User Guide for the IPF-Specific Report.

Worksheet 4: Patient Characteristics

This worksheet provides information on the types of patients discharged from your facility and facilities nationwide, by diagnosis.

3	TABLE 3. CCS PRINCIPAL DIAGNOSES AT DISCHARGE				
5	Discharge Diagnoses of the IPF Hospitalizations (CCS)	Facility Count	Percent of All IPF Hospitalizations	7-Day Follow-Up Rate	30-Day Follow-Up Rate
6	CCS PRINCIPAL DIAGNOSES AT DISCHARGE FROM YOUR FACILITY				
7	CCS 657 Mood disorders	47	55.3%	38.3%	72.3%
8	CCS 659 Schizophrenia and other psychotic disorders	26	30.6%	34.6%	57.7%
9	CCS 650 Adjustment disorders	5	5.9%	0.0%	0.0%
10	CCS 656 Impulse control disorders NEC	4	4.7%	0.0%	50.0%
11	CCS 658 Personality disorders	3	3.5%	0.0%	33.3%
12	CCS 651 Anxiety disorders	NQ	NQ	NQ	NQ
13	CCS 652 Attention-deficit conduct and disruptive behavior disorders	NQ	NQ	NQ	NQ
	CCS 655 Disorders usually diagnosed in infancy childhood or				
14	adolescence	NQ	NQ	NQ	NQ
15	CCS 662 Suicide and intentional self-inflicted injury	NQ	NQ	NQ	NQ
16	CCS 670 Miscellaneous mental health disorders	NQ	NQ	NQ	NQ
17	CCS PRINCIPAL DIAGNOSES AT DISCHARGE NATIONWIDE				
18	CCS 657 Mood disorders	100,740	57.0%	32.4%	54.9%
19	CCS 659 Schizophrenia and other psychotic disorders	69,822	39.5%	27.8%	49.4%
20	CCS 650 Adjustment disorders	2,329	1.3%	25.1%	43.5%
	CCS 651 Anxiety disorders	1,831	1.0%	38.6%	59.1%
22	CCS 658 Personality disorders	941	0.5%	35.5%	61.7%
23	CCS 656 Impulse control disorders NEC	597	0.3%	30.8%	54.8%
	CCS 655 Disorders usually diagnosed in infancy childhood or				
24	adolescence	224	0.1%	25.4%	59.4%
25	CCS 652 Attention-deficit conduct and disruptive behavior disorders	118	0.1%	21.2%	53.4%
26	CCS 662 Suicide and intentional self-inflicted injury	NQ	NQ	NQ	NQ
27	CCS 670 Miscellaneous mental health disorders	NQ	NQ	NQ	NQ

For more information on this worksheet, see page 9 of the FUH measure's 2020 User Guide for the IPF-Specific Report.

Worksheet 5: Discharge-Level Data

This worksheet provides information on all discharges eligible for inclusion in the measure from your facility during the measurement period.

TABLE 4. YOUR FACILITY'S DISCHARGE-LEVEL INFORMATION FOR THE FUH	MEASURE

							Principal Discharge			
			Medical Record	Beneficiary	Admission Date of IPF	Discharge Date of IPF	Diagnosis of IPF		7-Day	30-Day
ID Number 🗐	Provider ID 🔻	HICNO 🔻	Number 🔻	DOB 🔻	Hospitalization 🔻	Hospitalization 💌	Hospitalization 🔻	Principal Discharge CCS of IPF Hospitalization	Follow-Up 🔻	Follow-Up
1	999999	99999999A	99999A	99/99/9999	99/99/9999	99/99/9999	F319	Mood disorders (657)	Yes	Yes
2	999999	99999999A	99999A	99/99/9999	99/99/9999	99/99/9999	F332	Mood disorders (657)	Yes	Yes
3	999999	99999999A	99999A	99/99/9999	99/99/9999	99/99/9999	F209	Schizophrenia and other psychotic disorders (659)	Yes	Yes
4	999999	99999999A	99999A	99/99/9999	99/99/9999	99/99/9999	F312	Mood disorders (657)	Yes	Yes

Contact the *QualityNet* Help Desk if you identify any rows in the second column containing provider IDs that are not for your facility.

For more information on this worksheet, see page 10 of the FUH measure's 2020 User Guide for the IPF-Specific Report.

Inpatient Psychiatric Facility Quality Reporting Program: Review of IPF-Specific Reports for Claims-Based Measures

Interpreting the Medication Continuation ISR

Overview of Medication Continuation Measure

 Medication continuation assesses whether psychiatric patients admitted to an IPF for major depressive disorder, schizophrenia, or bipolar disorder filled a prescription for evidence-based medication within 2 days before discharge and 30 days postdischarge.

Overview of Medication Continuation ISR

Your Medication Continuation ISR will contain five worksheets:

- 1. Summary
- 2. Publicly Reported
- 3. Distribution of Rates
- 4. Patient Characteristics
- 5. Discharge-Level Data

Worksheet 1: Summary

- The summary worksheet provides general information on the measure, links to resources, and information on your facility.
- Before reviewing the report, check that the name of your IPF and CCN are accurate.
 - Contact the QualityNet Help Desk if you notice any discrepancies.

■ Phone: (866) 288-8912

■ TTY: (877) 715-6222

Email: qnetsupport@hcis.org

Worksheet 2: Publicly Reported Performance Information

This worksheet contains information that will be publicly available on the compare tool hosted by HHS in January 2021.

TABLE 1. YOUR FACILITY'S PERFORMANCE ON THE MEDICATION CONTINUATION MEASURE								
Medication Continuation Performance Information								
Your Facility's Denominator (Measure Population)	100							
Your Facility's Rate	70.0%							
State Rate	68.0%							
National Rate	60.0%							

For more information on this worksheet, see pages 6 and 7 of the Medication Continuation measure's 2020 User Guide for the IPF-Specific Report.

Worksheet 3: Distribution of Rates

This worksheet provides the nationwide distribution of Medication Continuation rates.

TABLE 2. NATIONWIDE DISTRIBUTION OF MEDICATION CONTINUATION RATES AMONG IPFS WITH AT LEAST 75 DENOMINATOR CASES AND YOUR FACILITY'S PERFORMANCE PERCENTILES

			10th	25th	50th	75th	90th		
Medication Continuation Rate Type	# IPFs	Minimum	Percentile	Percentile	Percentile	Percentile	Percentile	Maximum	Percentile
Nationwide Distribution of Medication Continuation Rates	1,000	0.00%	20.00%	40.00%	60.00%	70.00%	95.00%	100.00%	
Your facility's Medication Continuation Rate Percentile									75th

For more information on this worksheet, see page 8 of the Medication Continuation measure's 2020 User Guide for the IPF-Specific Report.

Worksheet 4: Patient Characteristics

This worksheet provides information on the types of patients discharged from your facility and facilities nationwide, by diagnosis.

		Percent of All IPF	Medication Continuation
Discharge Diagnoses of the IPF Hospitalizations	Facility Count	Hospitalizations	Rate
PRINCIPAL DIAGNOSES AT DISCHARGE FROM YOUR FACILITY			
Bipolar Disorder	50	50.0%	70.0%
Major Depressive Disorder (MDD)	40	40.0%	70.0%
Schizophrenia	10	10.0%	70.0%
PRINCIPAL DIAGNOSES AT DISCHARGE NATIONWIDE			
Bipolar Disorder	100,000	50.0%	60.0%
Major Depressive Disorder (MDD)	80,000	40.0%	60.0%
Schizophrenia	20,000	10.0%	60.0%

For more information on this worksheet, see page 9 of the Medication Continuation measure's 2020 User Guide for the IPF-Specific Report.

Worksheet 5: Discharge-Level Data

This worksheet provides information on all discharges eligible for inclusion in the measure from your facility during the measurement period.

TABLE 4. YOUR FA	BLE 4. YOUR FACILITY'S DISCHARGE-LEVEL INFORMATION FOR THE MEDICATION CONTINUATION MEASURE									
							Principal Discharge		Prescription filled within 2 days	
			Medical Record	Beneficiary	Admission Date of IPF	Discharge Date of IPF	Diagnosis of IPF	Principal Discharge Diagnosis of IPF	prior to discharge through 30	
ID Number √Î	Provider ID 🔻	HICNO 🔻	Number 🔻	DOB 🔻	Hospitalization 🔻	Hospitalization 🔻	Hospitalization (ICD-10 🔻	Hospitalization	days after discharge?	
1	999999	99999999A	99999A	99/99/9999	99/99/9999	99/99/9999	F321	MDD	Yes	
2	999999	99999999A	99999A	99/99/9999	99/99/9999	99/99/9999	F201	Schizophrenia	Yes	
3	999999	99999999A	99999A	99/99/9999	99/99/9999	99/99/9999	F308	Bipolar Disorder	No	

Contact the *QualityNet* Help Desk if you identify any rows in the second column containing provider IDs that are not for your facility.

For more information on this worksheet, see page 10 of the Medication Continuation measure's 2020 User Guide for the IPF-Specific Report.

Inpatient Psychiatric Facility Quality Reporting Program: Review of IPF-Specific Reports for Claims-Based Measures

Interpreting the IPF Readmission ISR

Overview of IPF Readmission Measure

IPF Readmission estimates an all-cause, unplanned, 30-day, risk-standardized readmission rate for adult fee-for-service (FFS) patients in Medicare who have a principal discharge diagnosis of a psychiatric disorder or dementia/Alzheimer's disease.

Overview of IPF Readmission ISR

Your IPF Readmission ISR will contain 11 worksheets:

- 1. Summary
- 2. Publicly Reported
- 3. National-State Performance
- 4. Facility Performance
- 5. Distribution of Rates
- 6. Index Admission Diagnoses
- 7. Readmit Location
- 8. Readmit per Beneficiary
- 9. Readmit Diagnoses
- 10. Risk Factor Distribution
- 11. Discharge-Level Data

Worksheet 1: Summary

- The summary worksheet provides general information on the measure, links to resources, and information on your facility.
- Before reviewing the report, check that the name of your IPF and CCN are accurate.
 - Contact the QualityNet Help Desk if you notice any discrepancies.

■ Phone: (866) 288-8912

■ TTY: (877) 715-6222

Email: <u>qnetsupport@hcis.org</u>

Worksheet 2: Publicly Reported Performance Information

This worksheet contains information that will be publicly available on the compare tool hosted by HHS in January 2021.


3	TABLE 1. YOUR FACILITY'S PERFORMANCE ON THE 30-DAY IPF READMIS	SION MEASURE (READM-30-IPF)
4	à contra de la contra del la contra del la contra del la contra de la contra del la contra de la contra del la	
5	READM-30-IPF Performance Information	227
6	Your Facility's Comparative Performance	Worse than the national rate
7	Your Facility's Number of Index Admissions (Measure Population)	728
8	Your Facility's Risk-Standardized Readmission Rate (RSRR)	23.7%
9	Lower Limit of 95% Interval Estimate for RSRR	21.1%
10	Upper Limit of 95% Interval Estimate for RSRR	26.3%
11	National Observed Unplanned Readmission Rate	20.1%

For more information on this worksheet, see pages 6–8 of the IPF Readmission measure's 2020 User Guide for the IPF-Specific Report.

SRR and RSRR

- Standardized risk ratio (SRR): predicted number of readmissions for a specific IPF divided by the number expected for any IPF with a similar case mix
- Risk-standardized readmission rate (RSRR):
 SRR multiplied by the national readmission rate

Worksheet 2: Publicly Reported Performance Information



Worksheet 3: National-State Performance

This worksheet provides the number of facilities in each performance category at the state and national level.

3	TABLE 2. NATIONAL AND STATE PERFORMANCE CATEGORIES FOR READM-30-IPF	
4		
5	Total Number of Facilities in the Nation with Measure Results	1,692
6	Number of facilities in the nation that performed better than the national rate	109
7	Number of facilities in the nation that performed no different than the national rate	1,325
8	Number of facilities in the nation that performed worse than the national rate	177
9	Number of facilities in the nation that had too few cases	81
10	Total Number of Facilities in Your State with Measure Results	120
11	Number of facilities in the state that performed better than the national rate	8
12	Number of facilities in the state that performed no different than the national rate	96
13	Number of facilities in the state that performed worse than the national rate	12
14	Number of facilities in the state that had too few cases	4

For more information on this worksheet, see pages 9 and 10 of the IPF Readmission measure's 2020 User Guide for the IPF-Specific Report.

Worksheet 4: Facility Performance

This worksheet shows how your risk-standardized readmission rate was calculated.

3	TABLE 3. CALCULATION OF YOUR FACILITY'S RISK-STANDA	ARDIZED READMISSIO	N RATE (READM-30-IPF)
4			200
5	READM-30-IPF Performance Information	Facility	National
6	Number of Index Admissions (Measure Population)	728	623,953
7	Total Number of 30-Day Unplanned Readmissions	204	125,283
8	Observed Unplanned Readmission Rate	28.0%	20.1%
9	Standardized Risk Ratio (SRR)	1.18	1.00
10	Lower Limit of 95% Interval Estimate for SRR	1.05	-
11	Upper Limit of 95% Interval Estimate for SRR	1.31	6. <u>9.9</u> 6
12	Risk-Standardized Readmission Rate (RSRR)	23.7%	37%
13	Lower Limit of 95% Interval Estimate for RSRR	21.1%	A
14	Upper Limit of 95% Interval Estimate for RSRR	26.3%	70%

For more information on this worksheet, see pages 10 and 11 of the IPF Readmission measure's 2020 User Guide for the IPF-Specific Report.

Worksheet 5: Distribution of Rates

This worksheet provides the distribution of facility-level observed and risk-standardized readmission rates nationwide

 Rows 7 and 9 show your facility's percentile rank for the observed and risk-standardized readmission rates

5	PERFORMANCE PERCENTILES									
4		305	9	17		35° X		32		500
				10th	25th	50th	75th	90th		
5	Readmission Rate Type	#IPFs	Minimum	Percentile	Percentile	Percentile	Percentile	Percentile	Maximum	Percentil
5	Nationwide distribution of observed unplanned readmission rates	1,611	2.0%	12.0%	15.4%	18.5%	22.5%	26.1%	40.3%	156
,	Your facility's observed unplanned readmission rate percentile	H40	122	22	224	144	H-61	19 44	(84)	93
3	Nationwide distribution of RSRRs	1,611	11.4%	16.8%	18.3%	20.1%	22.0%	23.8%	35.8%	155
)	Your facility's RSRR percentile		122		224	1944				89

For more information on this worksheet, see page 12 of the IPF Readmission measure's 2020 User Guide for the IPF-Specific Report.

November 3, 2020

Worksheet 6: Index Admission Diagnoses

This worksheet provides information on the types of patients discharged from your facility and facilities nationwide, by diagnosis.

Discharge Diagnosis for the Index Admission	Count	Percent of All Index Admissions	% Readmitted within 30 days	% Readmitted with the Same Diagnosis
Discharges from your facility				
CCS 650 Adjustment disorders	248	34.1%	34.3%	22.6%
CCS 651 Anxiety disorders	170	23.4%	29.4%	12.9%
CCS 652 Attention-deficit, conduct, and disruptive behavior	467	22.00/	22.49/	10.8%
disorders	167	22.9%	23.4%	
CCS 653 Delirium, dementia, and amnestic and other				18.8%
cognitive disorders	69	9.5%	30.4%	
CCS 654 Developmental disorders	56	7.7%	12.5%	5.4%
CCS 655 Disorders usually diagnosed in infancy, childhood, or adolescence	17	2.3%	5.9%	0.0%
CCS 656 Impulse control disorders, NEC	1	0.1%	100.0%	0.0%
CCS 657 Mood disorders	NQ	NQ	NQ	NQ
CCS 658 Personality disorders	NQ	NQ	NQ	NQ
CCS 659 Schizophrenia and other psychotic disorders	NQ	NQ	NQ	NQ
CCS 660 Alcohol-related disorders	NQ	NQ	NQ	NQ
CCS 661 Substance-related disorders	NQ	NQ	NQ	NQ
CCS 662 Suicide and intentional self-inflicted injury	NQ	NQ	NQ	NQ
CCS 663 Screening and history of mental health and substance abuse codes	NQ	NQ	NQ	NQ
CCS 670 Miscellaneous disorders	NQ	NQ	NQ	NQ
Discharges nationwide				
CCS 650 Adjustment disorders	144,577	17.8%	18.0%	7.4%
CCS 651 Anxiety disorders	127,370	15.6%	21.7%	10.2%
CCS 652 Attention-deficit, conduct, and disruptive behavior disorders	103,437	12.7%	24.5%	13.4%
CCS 653 Delirium, dementia, and amnestic and other				
cognitive disorders	102,168	12.5%	20.7%	10.3%
CCS 654 Developmental disorders	99,876	12.3%	14.3%	10.2%
CCS 655 Disorders usually diagnosed in infancy, childhood, or	-			
adolescence	90,670	11.1%	20.5%	6.9%
CCS 656 Impulse control disorders, NEC	85,383	10.5%	15.6%	6.8%

For more information on this worksheet, see pages 13 and 14 of the IPF Readmission measure's 2020 User Guide for the IPF-Specific Report.

Worksheet 7: Readmit Location

This worksheet shows what type of facility patients were readmitted to, both at your facility and nationwide.

3	TABLE 6. READMISSION LOCATION (READM-30-IPF)		
4	10 5000		
5	READM-30-IPF Performance Information	Facility	National
6	Number of index admissions (Measure Population)	728	623,953
7	Total number of 30-day unplanned readmissions	204	125,283
8	Observed unplanned readmission rate	28.0%	20.1%
9	Readmissions by Location		(44)
10	Total number of 30-day unplanned readmissions that returned to discharging facility	85	51,231
11	Percent of all readmissions that returned to discharging facility	41.7%	40.9%
12	Total number of 30-day unplanned readmissions that are readmitted to another facility	119	74,052
13	Percent of all readmissions that are readmitted to another facility	58.3%	59.1%
14	Readmissions to other facilities by type of facility	576	550
15	Total number of 30-day unplanned readmissions that are readmitted to a different IPF	71	39,753
16	Percent of all readmissions that are readmitted to a different IPF	34.8%	31.7%
17	Total number of 30-day unplanned readmissions that are readmitted to an acute care hospital	48	34,299
18	Percent of all readmissions that are readmitted to an acute care hospital	23.5%	27.4%

For more information on this worksheet, see page 14 of the IPF Readmission measure's 2020 User Guide for the IPF-Specific Report.

Worksheet 8: Readmit per Beneficiary

This worksheet shows how many patients were readmitted more than once during the measurement period

3	TABLE 7. BENEFICIARIES WITH MULTIPLE READMISSIONS (July 1, 2015-June 30, 2017)		
4		¥	
5	READM-30-IPF Admissions and Readmissions	Facility	National
6	Number of index admissions	728	623,953
7	Number of unique beneficiaries with an eligible index admission	472	379,854
8	Readmissions	222	22
9	Number of readmissions	204	125,283
10	Number of unique beneficiaries with readmissions	138	79,505
11	Number of readmissions per beneficiary		7 7. 8
12	Number of unique beneficiaries with one readmission during the performance period	102	57,050
13	Percent of unique beneficiaries with one readmission during the performance period	73.9%	71.8%
14	Number of unique beneficiaries with two or more readmissions during the performance period	36	22,455
15	Percent of unique beneficiaries with two or more readmissions during the performance period	26.1%	28.2%

For more information on this worksheet, see pages 14 and 15 of the IPF Readmission measure's 2020 User Guide for the IPF-Specific Report.

Worksheet 9: Readmit Diagnoses

This worksheet shows the most common causes of readmission for your patients and for patients nationwide

5	CCS Diagnoses on the Readmission	Count	Percent of Readmissions
6	Readmissions from your facility	1955	
7	CCS 659.1 Schizo-affective disorder	66	32.4%
8	CCS 657.1 Bipolar disorder	31	15.2%
9	CCS 657.2/662 Depressive disorder	30	14.7%
10	CCS 659.2 Psychosis	29	14.2%
11	CCS 660 Alcohol disorder	5	2.5%
12	CCS 131 Respiratory failure; insufficiency; arrest (adult)	4	2.0%
13	CCS 653 Dementia	4	2.0%
14	CCS 2 Septicemia (except in labor)	3	1.5%
15	CCS 661 Drug disorder	3	1.5%
16	CCS 102 Nonspecific chest pain	2	1.0%
17	Other CCS	27	13.2%
18	Readmissions nationwide	1000	
19	CCS 659.1 Schizo-affective disorder	22,836	18.2%
20	CCS 657.1 Bipolar disorder	20,831	16.6%
21	CCS 657.2/662 Depressive disorder	17,743	14.2%
22	CCS 659.2 Psychosis	16,991	13.6%
23	CCS 653 Dementia	7,303	5.8%
24	CCS 660 Alcohol disorder	4,897	3.9%
25	CCS 661 Drug disorder	3,737	3.0%
26	CCS 2 Septicemia (except in labor)	2,929	2.3%
27	CCS 157 Acute and unspecified renal failure	1,303	1.0%
28	CCS 159 Urinary tract infections	1,265	1.0%
29	Other CCS	25,448	20.3%

For more information on this worksheet, see pages 15 and 16 of the IPF Readmission measure's 2020 User Guide for the IPF-Specific Report.

Worksheet 10: Risk Factor Distribution

This worksheet shows how the case mix of your facility's discharges compares to the case mix of discharges nationwide

5	Risk Factor/Condition Indicator	Facility Discharges	National Discharges
6	Number of index admissions	728	623,953
7	Risk Factor/Condition Indicators	%	
8	Gender: Male	55.4%	49.0%
9	Age	70 824 W	19 44
10	18-34	13.7%	12.4%
11	35-44	18.3%	14.8%
12	45-54	25.7%	18.6%
13	55-64	19.6%	18.2%
14	65-74	13.9%	17.3%
15	75-84	6.2%	12.0%
16	85+	2.6%	6.6%
17	Principal discharge diagnosis on index admission	% % <u>%</u>	1988
18	CCS 650 Adjustment disorder	NQ	0.9%
19	CCS 651 Anxiety	NQ	1.3%
20	CCS 652/654/655 ADD/Developmental/Childhood disorders	NQ	0.2%
21	CCS 653 Dementia	7.7%	13.7%
22	CCS 656 Impulse control disorders	NQ	0.4%
23	CCS 657.1 Bipolar disorder	22.9%	20.4%
24	CCS 657.2/662 Depressive disorder	23.4%	23.2%
25	CCS 658 Personality disorder	NQ	0.4%

For more information on this worksheet, see pages 16 and 17 of the IPF Readmission measure's 2020 User Guide for the IPF-Specific Report.

Worksheet 11: Discharge-Level Data

This worksheet provides information on all discharges eligible for inclusion in the measure from your facility during the measurement period.

TABLE 10. DISCHA	ABLE 10. DISCHARGE-LEVEL INFORMATION FOR READM-30-IPF								
				Beneficiary	Admission Date of Index	Discharge Date of Index	Principal Discharge Diagnosis		Unplanned Readmission within 30 Days
ID Number 🔻	Provider ID 🔻	HICNO 🔻	Medical Record Number	DOB 🔻	Stay	Stay ¹	of Index Stay ¹	Principal Discharge CCS of Index Stay	(Yes/No)
1	999999	99999999A	99999A	99/99/9999	99/99/9999	99/99/9999	F1020	CCS 660 Alcohol disorder	Yes
2	999999	99999999A	99999A	99/99/9999	99/99/9999	99/99/9999	F251	CCS 659.1 Schizo-affective disorder	Yes
3	999999	99999999A	999999A	99/99/9999	99/99/9999	99/99/9999	F419	CCS 651 Anxiety	Yes
4	999999	99999999A	99999A	99/99/9999	99/99/9999	99/99/9999	F319	CCS 657.1 Bipolar disorder	Yes
5	999999	99999999A	999999A	99/99/9999	99/99/9999	99/99/9999	F333	CCS 657.2/662 Depressive disorder	Yes

Contact the QualityNet Help Desk if you identify any rows in the second column containing provider IDs that are not for your facility.

For more information on this worksheet, see pages 17 and 18 of the IPF Readmission measure's 2020 User Guide for the IPF-Specific Report.

Worksheet 11: Discharge-Level Data

This worksheet provides information on all discharges eligible for inclusion in the measure from your facility during the measurement period.

Admission Date of	Discharge Date of	Principal Discharge Diagnosis		Readmission to the Same	Readmission to an IPF	Provider ID of
Readmission	Readmission 🔻	of Readmission ¹	Principal Discharge CCS of Readmission	Provider (Yes/No) ²	(Yes/No)	Readmitting Facility ³
99/99/9999	99/99/9999	F315	CCS 657.1 Bipolar disorder	No	Yes	888888
99/99/9999	99/99/9999	N179	CCS 157 Acute and unspecified renal failure	No	No	888888
99/99/9999	99/99/9999	F333	CCS 657.2/662 Depressive disorder	Yes	Yes	888888
99/99/9999	99/99/9999	F319	CCS 657.1 Bipolar disorder	Yes	Yes	888888
99/99/9999	99/99/9999	F333	CCS 657.2/662 Depressive disorder	Yes	Yes	888888

Contact the *QualityNet* Help Desk if you identify any rows in the second column containing provider IDs that are not for your facility.

For more information on this worksheet, see pages 17 and 18 of the IPF Readmission measure's 2020 User Guide for the IPF-Specific Report.

November 3, 2020

Acronyms

СВМ	claims-based measure
CCN	CMS certification number
CCS	clinical classifications software
CMS	Centers for Medicare & Medicaid Services
DOB	date of birth
FFS	fee-for-service
FUH	Follow-Up After Hospitalization for Mental Illness
FY	fiscal year
HICNO	health insurance claim number
IPF	inpatient psychiatric facility
IPFQR	Inpatient Psychiatric Facility Quality Reporting
IPF Readmission	30-Day All-Cause Unplanned Readmission Following Psychiatric Hospitalization in an IPF
IPPS	inpatient prospective payment system
ISR	IPF-specific report
LTCH PPS	long-term care hospital prospective payment system
N/A	not applicable
NQ	no qualifying index admissions
Q&A	questions and answers
READM-30-IPF	30-Day All-Cause Unplanned Readmission Following Psychiatric Hospitalization in an IPF
RSRR	risk-standardized readmission rate
SRR	standardized risk ratio
VIQR	Value, Incentives, and Quality Reporting

Inpatient Psychiatric Facility Quality Reporting Program: Review of IPF-Specific Reports for Claims-Based Measures

Helpful Resources

Confidential Review Period Resources

QualityNet > Inpatient Psychiatric Facilities > IPFQR Measures

- https://www.qualitynet.org/ipf/ipfqr/measures
- Claims-based measure specifications
 - Contains FY 2020 specifications for each measure

QualityNet > Inpatient Psychiatric Facilities > Public Reporting

- https://www.qualitynet.org/ipf/public-reporting
- Quick Reference Guide for the ISR Confidential Review Period
 - Contains information on the confidential review period and contact information

These resources are also available to download from the *Quality* Reporting Center's IPFQR Program Resources and Tools web page.

Helpful Resources



Helpful Resources

Stay up to date...



...and get answers to your questions.









Webinar Questions

Please email any questions that are pertinent to the webinar topic to WebinarQuestions@hsag.com with the following information:

- Subject Line: IPFQR Program: Review of ISRs for CBMs
- Email Body: If your question pertains to a specific slide, please include the slide number

Inpatient Psychiatric Facility Quality Reporting Program: Review of IPF-Specific Reports for Claims-Based Measures

Thank You!

Disclaimer

This presentation was current at the time of publication and/or upload onto the *Quality Reporting Center* and *QualityNet* websites. Medicare policy changes frequently. Any links to Medicare online source documents are for reference use only. If Medicare policy, requirements, or guidance related to this presentation change following the date of posting, this presentation will not necessarily reflect those changes; given that it will be an archived copy, it will not be updated.

This presentation was prepared as a service to the public and is not intended to grant rights or impose obligations. Any references or links to statutes, regulations, and/or other policy materials included in the presentation are provided as summary information. No material contained therein is intended to take the place of either written laws or regulations. If there is any conflict between the information provided by the presentation and information included in any Medicare rules and/or regulations, the rules and regulations shall govern. The specific statutes, regulations, and other interpretive materials should be reviewed independently for a full and accurate statement of their contents.