Inpatient *Hospital Compare* Preview Help Guide

The target audience for this publication is hospitals. The document scope is limited to instructions for hospitals to access and interpret the data provided on the public reporting user interface prior to publication of the data on *Hospital Compare.*

February 2019 *Hospital Compare* Preview/April 2019 *Hospital Compare* Release

Table of Contents

Inpatient *Hospital Compare*
Preview Help Guide

Overview

Hospital Compare

The Centers for Medicare & Medicaid Services (CMS) and the nation's hospitals work collaboratively to publicly report hospital quality performance information on the *Hospital Compare* website located at *www.Medicare.gov/HospitalCompare* and *Data.Medicare.gov*.

Hospital Compare displays hospital performance data in a consistent, unified manner to ensure the availability of credible information about the care delivered in the nation's hospitals. Most of the participants are short-term acute care hospitals that will receive a reduction to the annual update of their Medicare fee-for-service payment rate if they do not participate by submitting data or meet other requirements of the Hospital Inpatient Quality Reporting (IQR) Program. The Hospital IQR Program was established by Section 501(b) of the Medicare Modernization Act (MMA) of 2003 and extended and expanded by Section 5001(a) of the Deficit Reduction Act of 2005.

Hospital Inpatient Prospective Payment System (IPPS)

Section 1886(d) of the Social Security Act sets forth a system of payment for the operating costs of acute care hospital inpatient stays under Medicare Part A (hospital insurance) based on prospectively set rates. Section 1886(g) of the Social Security Act requires the Secretary to pay for the capital-related costs of hospital inpatient stays under the inpatient prospective payment system (IPPS). Under the IPPS, Medicare payment for hospital inpatient operating and capital-related costs are made at predetermined, specific rates for each hospital discharge. Discharges are classified according to a list of Medicare Severity Diagnosis-Related Groups (MS-DRGs). Hospitals paid under the IPPS are subject to a one-fourth reduction of the annual payment update if Hospital IQR Program requirements are not met for each fiscal year. Hospitals not paid under the IPPS that voluntarily submit data for one or more measures may choose to have any or all of the information displayed on *Hospital Compare*.

Preview Period

Prior to the public display of data on *Hospital Compare*, hospitals are given the opportunity to preview their data during a 30-day preview period. The data anticipated for the release can be accessed via the *QualityNet Secure Portal*, the only CMS-approved website for secure healthcare quality data exchange, at *www.QualityNet.org*.

Public Reporting User Interface (UI)

The UI was developed to allow providers increased flexibility in reviewing their data. The format of the site was designed to be similar to *Hospital Compare*.

Users must be enrolled and proofed in the *QualityNet Secure Portal* in order to access the user interface. Follow the instructions below to access the UI:

1. Access the public website for *QualityNet* at https://www.qualitynet.org.
2. Select **Login** under the *Log in to QualityNet Secure Portal* header.
3. From the **Choose Your QualityNet Destination** dashboard, select **HQR Next Generation.**

4. Enter your *QualityNet* User ID, Password, and Security Code. Then, select **Submit**.
5. Read the Terms and Conditions statement and select **I Accept** to proceed.

   NOTE: If **I Decline** is selected, the program closes.

6. A card layout is displayed on the landing page. Select **Public Reporting (PR).**



7. Your provider name and CMS Certification Number (CCN) will appear at the top of the UI. The **Change Facility Button** is available to users with roles associated with multiple facilities to see a different provider's data.
8. There are two tabs: Star Rating and Measure Data.
9. Within PR, users will be able to easily view their data. This page is an interactive analogue to the traditional PDFs. On this page, users can view measures associated by Measure Group, search the entire page for individual measures, dynamically filter through data, and export measure data. The exported measure data will be in PDF format for a user-friendly printed report. Data will be retained following the 30-day preview for future reference.



Export Data - Users will be able to export measure data into a PDF format for a user-friendly printed report.

Search - Enter specific measures into this field and the table will dynamically filter for the appropriate content.

Filtering - Users will be able to filter their benchmark data in the following ways:

- Release - Select the release data to be viewed.
- Level - Filter whether your facility's data will be compared to the "State" or "National" average during filtering.
- Performance - Filter your facility's data for being "Above," "Below," or the "Same" as previous Level selections.

Public Reporting Data Details

Star Rating Tab

The Star Rating tab displays the overall star rating, facility details (i.e., hospital characteristics), and measure group scores. Each group accordion displays the performance for the group and expands to provide additional information.



Each group score accordion expands to display the number of scored measures in that group as well as a National Score Comparison graph.



Additional information at the bottom of the Star Ratings tab includes the weight of each group score and a link to additional information on the *Hospital Compare* web page.



The Overall Hospital Quality Star Ratings summarize hospital quality data on the *Hospital Compare* website. These ratings reflect measures across seven aspects of quality on *Hospital Compare*: mortality, safety of care, readmission, patient experience, effectiveness of care, timeliness of care, and efficient use of medical imaging. The Overall Star Rating methodology is a scientifically rigorous and valid process to summarize the quality information available on *Hospital Compare*. The Overall Star Rating supplements, rather than replaces, the information on *Hospital Compare*.

CMS updates the Overall Star Ratings on a bi-annual schedule during the January and July *Hospital Compare* releases. The Overall Star Ratings in the April and October *Hospital Compare* releases generally maintain the same rating from the previous quarter, unless otherwise noted.

Hospitals receive an Overall Star Rating (i.e., 1, 2, 3, 4, or 5 stars) and a performance category for each measure group (i.e., above the national average, same as the national average, or below the national average). The tab contains supplemental information for hospitals to better understand the Overall Star Rating calculations, which include: a summary score (i.e., the weighted average of a hospital's available group scores), the hospital's measure group scores, the national group scores, the number of measures in the hospital's group score calculation, and the weighting of each group that contributed to the summary score.

Please refer to the *Hospital Compare* Overall Star Ratings methodology resources on *QualityNet.org* on the Overall Hospital Ratings Overview page at this link.

Overall Star Rating Details

- **Your Hospital's Overall Star Rating** – 1, 2, 3, 4, or 5 stars. A hospital will only receive a Star Rating if it has at least three group scores. One of those group scores must be an outcomes measure group (i.e., mortality, safety of care, or readmission) with at least three measures in each group.
- **Your Hospital's Summary Score** – The weighted average of the hospital's group scores. This score is generally recalculated for the January and July releases and is not recalculated for the April and October releases, unless otherwise stated.
- **Measure Groups** − Hospital quality is represented by several dimensions, including clinical care processes, initiatives focused on care transitions, and patient experiences. The *Hospital Compare* Overall Star Rating includes seven groups:
  - Mortality
  - Safety of care
  - Readmission
  - Patient experience
  - Effectiveness of care
  - Timeliness of care
  - Efficient use of medical imaging

- **Number of Measures** – The number of measures used to calculate the hospital's group scores is based on the data the hospital reported.

The Overall Star Rating aims to be as inclusive as possible of measures displayed on *Hospital Compare*; however, the following types of measures will not be incorporated in the hospital Overall Star Rating:

- Measures suspended, retired, or delayed from public reporting on *Hospital Compare*
- Measures with no more than 100 hospitals reporting performance publicly
- Structural measures
- Non-directional measures (i.e., unclear whether a higher or lower score is better)
- Duplicative measures (e.g., individual measures that make up a composite measure that is already reported or measures that are identical to another measure)

The tables below include a full list of the measures included in each group that, if reported by the hospital, are used in calculating the Overall Star Rating.

Mortality (N=7)

Measure	Description
MORT-30-AMI	Acute Myocardial Infarction (AMI) 30-Day Mortality Rate
MORT-30-CABG	Coronary Artery Bypass Graft (CABG) 30-Day Mortality Rate
MORT-30-COPD	Chronic Obstructive Pulmonary Disease (COPD) 30-Day Mortality Rate
MORT-30-HF	Heart Failure (HF) 30-Day Mortality Rate
MORT-30-PN	Pneumonia (PN) 30-Day Mortality Rate
MORT-30-STK	Acute Ischemic Stroke (STK) 30-Day Mortality Rate
PSI 4 SURG-COMP	Death Among Surgical Inpatients with Serious Treatable Complications

Safety of Care (N=8)

Measure	Description
HAI-1	Central Line-associated Bloodstream Infection (CLABSI)
HAI-2	Catheter-Associated Urinary Tract Infection (CAUTI)
HAI-3	Surgical Site Infection from colon surgery (SSI-colon)
HAI-4	Surgical Site Infection from abdominal hysterectomy (SSI-abdominal hysterectomy)
HAI-5	Methicillin-Resistant *Staphylococcus aureus* (MRSA) Bacteremia
HAI-6	Clostridioides Difficile (*C. difficile*)
COMP-HIP-KNEE	Hospital-Level Risk-Standardized Complication Rate (RSCR) Following Elective Primary Total Hip Arthroplasty (THA) and/or Total Knee Arthroplasty (TKA)
PSI-90 Safety	Patient Safety and Adverse Events Composite

Readmission (N=9)

Measure	Description
READM-30-CABG	Coronary Artery Bypass Graft (CABG) 30-Day Readmission Rate
READM-30-COPD	Chronic Obstructive Pulmonary Disease (COPD) 30-Day Readmission Rate
READM-30-HIP-KNEE	Hospital-Level 30-Day All-Cause Risk-Standardized Readmission Rate (RSRR) Following Elective Total Hip Arthroplasty (THA)/Total Knee Arthroplasty (TKA)
READM-30-STK	Stroke (STK) 30-Day Readmission Rate
READM-30-HOSP-WIDE	Hospital-Wide All-Cause Unplanned Readmission (HWR)
EDAC-30-PN	Excess Days in Acute Care (EDAC) after hospitalization for Pneumonia (PN)
EDAC-30-AMI	Excess Days in Acute Care (EDAC) after hospitalization for Acute Myocardial Infarction (AMI)
EDAC-30-HF	Excess Days in Acute Care (EDAC) after hospitalization for Heart Failure (HF)
OP-32	Facility 7-Day Risk Standardized Hospital Visit Rate after Outpatient Colonoscopy

Patient Experience (N=10)

Measure	Description
H-COMP-1	Communication with Nurses (Q1, Q2, Q3)
H-COMP-2	Communication with Doctors (Q5, Q6, Q7)
H-COMP-3	Responsiveness of Hospital Staff (Q4, Q11)
H-COMP-5	Communication About Medicines (Q16, Q17)
H-CLEAN-HSP	Cleanliness of Hospital Environment (Q8)
H-QUIET-HSP	Quietness of Hospital Environment (Q9)
H-COMP-6	Discharge Information (Q19, Q20)
H-COMP-7	Care Transition (Q23, Q24, Q25)
H-HSP-RATING	Hospital Rating (Q21)
H-RECMND	Recommend the Hospital (Q22)

Effectiveness of Care (N=11)

Measure	Description
SEP-1	Sepsis
IMM-2	Influenza Immunization
IMM-3/OP-27	Healthcare Personnel (HCP) Influenza Vaccination
OP-4	Aspirin at Arrival
OP-22	ED-Patient Left Without Being Seen
OP-23	ED-Head CT or MRI Scan Results for Acute Ischemic Stroke or Hemorrhagic Stroke Who Received Head CT or MRI Scan Interpretation Within 45 Minutes of Arrival
OP-29	Endoscopy/Polyp Surveillance: Appropriate Follow-Up Interval for Normal Colonoscopy in Average Risk Patients
OP-30	Endoscopy/Polyp Surveillance: Colonoscopy Interval for Patients with a History of Adenomatous Polyps – Avoidance of Inappropriate Use
OP-33	External Beam Radiotherapy
PC-01	Elective Delivery Prior to 39 Completed Weeks Gestation: Percentage of Babies Electively Delivered Prior to 39 Completed Weeks Gestation
VTE-6	Hospital Acquired Potentially-Preventable Venous Thromboembolism

Timeliness of Care (N=9)

Measure	Description
ED-1b	Median Time from Emergency Department (ED) Arrival to ED Departure for Admitted ED Patients
ED-2b	Admit Decision Time to ED Departure Time for Admitted Patients
OP-1	Median Time to Fibrinolysis
OP-2	Fibrinolytic Therapy Received Within 30 Minutes of ED Arrival
OP-3b	Median Time to Transfer to Another Facility for Acute Coronary Intervention
OP-5	Median Time to electrocardiogram (ECG)
OP-18b/ED-3	Median Time from ED Arrival to ED Departure for Discharged ED Patients
OP-20	Door to Diagnostic Evaluation by a Qualified Medical Professional
OP-21	ED-Median Time to Pain Management for Long Bone Fracture

Efficient Use of Medical Imaging (N=5)

Measure	Description
OP-8	MRI Lumbar Spine for Low Back Pain
OP-10	Abdomen Computed Tomography (CT) Use of Contrast Material
OP-11	Thorax CT Use of Contrast Material
OP-13	Cardiac Imaging for Preoperative Risk Assessment for Non-Cardiac Low-Risk Surgery
OP-14	Simultaneous Use of Brain Computed Tomography (CT) and Sinus Computed Tomography (CT)

Measures with less than 100 hospitals reporting are not included in the *Hospital Compare* Star Ratings calculation. A complete list of the measures that will be individually reported, including the measures excluded from the *Hospital Compare* Star Ratings, is available on *QualityNet*.

NOTE: For hospitals reporting the HCP Influenza Vaccination measure in both the Hospital IQR Program (IMM-3) and Hospital OQR Program (OP-27), only one program's measure scores will be used, as they are equal scores. For hospitals participating in IQR only, the IMM-3 score will be used. For hospitals participating in the Hospital OQR Program only, the OP-27 score will be used.

- **Weight** is used for the specified group to calculate the hospital's summary score, which is then translated into the hospital's Overall Star Rating. CMS assigns a weight to each group score to calculate a hospital summary score. The following criteria were applied to determine how each measure group is weighted:
  - Measure importance, including prioritizing outcome measures over process measures
  - Consistency with other CMS programs, such as Hospital Value-Based Purchasing
  - Alignment with CMS priorities, as outlined in the Meaningful Measures Framework
  - Stakeholder input, including the prioritization of measure groups by the Technical Expert Panel (TEP), public comment periods, the hospital dry run, and additional sources of patient and consumer feedback

  If a hospital does not report at least one measure for a given group, the weight (or percentage) assigned to that group is redistributed proportionally among the groups with a sufficient number of measures.
- **Group Score** is the estimate of the latent variable model used to produce a group score for each group.
- **National Average Group Score** is the national average group score for each group based on the distribution of group scores across all hospitals.
- **Category** is the group performance category, which provides a hospital with a national comparison across a three-point scale for each hospital's available group scores. These performance categories are: above the national average, same as the national average, and below the national average.

Hospital Compare Overall Star Rating Hospital-Specific Reports (HSRs)

The Overall Star Rating HSR contains hospital-specific rating and national results, hospital-specific measure group score results, hospital-specific measure score results, and measure loadings for the reporting period. Hospitals are encouraged to review their *Hospital Compare* Star Rating HSRs along with the Hospital Inpatient and Outpatient Quality Reporting Program Preview data.

These HSRs are provided when the Overall Star Rating is recalculated, generally with the January and July releases.

Measure Data Tab

The **Measure Data** tab will display accordions and measures based on the *QualityNet Secure Portal* access of the user. If the user has access to inpatient and outpatient data, then the measures for both programs will display for review.



The accordions are labeled similarly to the tabs on *Hospital Compare* and can be expanded by selecting the (+) to the left of the title. Selecting the (-) will collapse the table. Once the accordion is expanded, the measures and data will display.



Select the info icon ( ) to the left of the measure ID to display the full measures description in a modal.

Data display with an asterisk (*). Selecting the data value by the asterisk will reveal a modal with additional details about the data (e.g., a footnote).



To view the state information, select the **State** data next to the asterisk. To view the national information, select the **National** data next to the asterisk.



Emergency Department Care					
	Facility Rate	Number of Patients	State Rate	National Rate	Top 10%
ED-1b	251 minutes *	2,899 *	288 minutes *	257 minutes *	167 minutes
ED-2b	96 minutes *	2,898 *	115 minutes *	86 minutes *	33 minutes

For the Emergency Department Care measures, information regarding the number of patients seen annually in a facility (Emergency Department Volume [EDV]) is provided with a comparison of like facility EDV times for reference within the state and the nation.



Close

ED-1b Facility Rate: Details

Footnote(s):

(2) - Data submitted were based on a sample of cases/patients.

Supplemental Information:

Your Hospital ED Volume Category:

Very High

Cancel

Close

ED-1b State Rate: Details

Footnote(s):

(25) - State and national averages include Veterans Health Administration (VHA) hospital data.

(26) - State and national averages include Department of Defense (DoD) hospital data.

Supplemental Information:

State ED Volume Category Reference:

Low: 242 minutes

Medium: 260 minutes

High: 278 minutes

Very High: 322 minutes

Cancel

Close

ED-1b National Rate: Details

Footnote(s):

(25) - State and national averages include Veterans Health Administration (VHA) hospital data.

(26) - State and national averages include Department of Defense (DoD) hospital data.

Supplemental Information:

National ED Volume Category Reference:

Low: 210 minutes

Medium: 261 minutes

High: 302 minutes

Very High: 332 minutes

Cancel

Within the PR user interface, facilities have the ability to filter. In the below scenario, the filters for February 2019 release, State level, and Better performance are selected. The accordions will then appear, and facilities can see which measures meet these requirements. The system compares the State Rate to the Facility Rate and reflects those measures where the Facility Rate is better than the State Rate. The same functionality is available to compare the national-level data.



Star Rating | Measure Data

Measure Data

Explore your measure data benchmarks for the current or previous release period(s). Use the filters below to refine your feedback, and access supplemental info for any value with the info icon ( ) or an asterisk (*).

Search | Release: February 2019 | Level: State | Performance: Better | Clear Filters

− Timely and Effective Care

Venous Thromboembolism Prevention

	Facility Rate	Number of Patients	State Rate	National Rate	Top 10%
VTE-6	15% *	200 *	20% *	30% *	10%

Emergency Department Care

	Facility Rate	Number of Patients	State Rate	National Rate	Top 10%
OP-21	N/A *	N/A *	60 minutes *	95 minutes *	45 minutes

Perinatal Care

	Facility Rate	Number of Patients	State Rate	National Rate	Top 10%
PC-01	10% *	50 *	12% *	20% *	12%

Data Details

Hospital Characteristics

The PR Preview UI displays your hospital CCN and name above the hospital characteristics. Hospital characteristics include your hospital's address, city, state, ZIP Code, phone number, county, type of facility, type of ownership, and emergency service provided status.

Type of ownership is publicly available only in the downloadable database on *Hospital Compare*.

If the displayed hospital characteristics are incorrect, your hospital should contact your state Certification and Survey Provider Enhanced Reports (CASPER) agency coordinator to correct the information. The state CASPER contact list is available from the *Hospital Compare* Home page by selecting the **Resources** button, located between the **About the Data** and **Help** buttons, directly above the *Find a Hospital* selection area. Select the **Information for hospitals.** Once the screen refreshes, select the **CASPER/ASPEN** (Automated Survey Processing Environment) contacts link from the left-side navigation pane: http://www.medicare.gov/HospitalCompare/Resources/CASPER.aspx. If your hospital's state CASPER agency is unable to make the needed change, your hospital should contact its CMS regional office.

Rounding Rules

All percentage and median time calculations (provider, state, and national) are rounded to the nearest whole number using the following rounding logic, unless otherwise stated:

- Above **[x.5]**, round up to the nearest whole number.
- Below **[x.5]**, round down to the nearest whole number.
- Exactly **[x.5]** and "x" is an even number, round down to the nearest whole, even number. (Rounding to the even number is a statistically accepted methodology.)
- Exactly **[x.5]** and "x" is an odd number, round up to the nearest whole, even number. (Rounding to the even number is a statistically accepted methodology.)

Accordions

+Survey of Patients' Experience
Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS)

Patient Experience Data (HCAHPS)

All IPPS hospitals must continuously collect and submit HCAHPS data in order to qualify for the full annual payment update. All participating hospitals receive a Preview, and non-IPPS hospitals have the option of withholding HCAHPS results from being publicly reported on *Hospital Compare*. The HCAHPS measure data are updated quarterly.

Hospitals participating in the Hospital IQR Program may not withhold HCAHPS data.

The HCAHPS Survey data contain survey results from four quarters of data, which display as aggregate results. Each hospital's aggregate results are compared to state and national averages. Also, the Preview data contain each hospital's number of completed surveys and survey response rate for the reporting period.

Beginning with the July 2018 *Hospital Compare* release, the survey questions comprising Pain Management Composite 4 have been removed and are no longer reported on *Hospital Compare*.

HCAHPS Star Ratings

HCAHPS Star Ratings are based on the quarters of survey data in the Preview. Hospitals will receive an HCAHPS Star Rating (1, 2, 3, 4, or 5 stars) for each of the 10 HCAHPS measures plus the HCAHPS Summary Star Rating, which is a single summary of all the HCAHPS Star Ratings. The Preview data also contain the linear mean scores that are used in the calculation of the HCAHPS Star Ratings. For additional information on HCAHPS Star Ratings and linear mean scores, please see the HCAHPS Star Ratings section on the official HCAHPS website, http://www.hcahpsonline.org.

HCAHPS Composites and Individual Items in the accordion includes:

- HCAHPS Composites
  - Composite 1 – Communication with Nurses (Question [Q]1, Q2, Q3)
  - Composite 2 – Communication with Doctors (Q5, Q6, Q7)
  - Composite 3 – Responsiveness of Hospital Staff (Q4, Q11)
  - Composite 5 – Communication about Medicines (Q16, Q17)
- Hospital Environment Items
  - Cleanliness of Hospital Environment (Q8)
  - Quietness of Hospital Environment (Q9)
- Discharge Information Composite
  - Composite 6 – Discharge Information (Q19, Q20)
- Care Transition Composite
  - Composite 7 – Care Transition (Q23, Q24, Q25)

The HCAHPS Global Items includes:

- Hospital Rating (Q21)
- Recommend this Hospital (Q22)

HCAHPS Star Rating Hospitals must have at least 100 completed surveys in order to receive HCAHPS Star Ratings.

- HCAHPS Star Ratings are provided for each of the six composite measures, two environment items, and two global items.
- Whole stars (1, 2, 3, 4, or 5) are assigned to each of the 10 HCAHPS measures, plus the HCAHPS Summary Star Rating.

Linear Mean Scores: HCAHPS linear mean scores are provided for each of the six composite measures, two environment items, and two global items. The scores are available in the downloadable database on *Hospital Compare*.



Survey of Patients' Experience

HCAHPS Summary Star Rating Q2 (2017) - Q1 (2018)

Completed Surveys	6,403
Survey Response Rate	17%

More Stars are better.
"For more information on HCAHPS Star Ratings and Linear Scores, please see www.hcahpsonline.org"
*When HCAHPS scores are based on fewer than 25 completed surveys, scores WILL NOT be reported on Hospital Compare.

Communication with Nurses Q2 (2017) - Q1 (2018)
Linear Score (1 - 100): 93

	Facility	State	National
Always	83%	76%	80%
Usually	14%	17%	16%
Sometimes/Never	3%	7%	4%

State and National Average Rates

State and national un-weighted average rates for each HCAHPS measure are calculated based on all data available in the HCAHPS Data Warehouse. State and national averages are not reported for the HCAHPS Star Ratings. The state and national averages include data from Veterans Health Administration (VHA) hospitals.

+Timely and Effective Care

Sepsis (SEP-1)
Venous Thromboembolism Prevention (VTE-6)
Emergency Department (ED-1b, ED-2b)
Immunization (IMM-2)
Healthcare Personnel Influenza Vaccination (IMM-3)
Perinatal Care (PC-01)

The measures contain up to four quarters of data and display as an aggregate rate. The aggregate rate for IMM-2 includes data collected only during the influenza season quarters. Data displayed are for a full influenza season, quarter four through quarter one of the following year. IMM-3 reflects the same time period but is updated with data from the Centers for Disease Control and Prevention (CDC) for public reporting each year during the October *Hospital Compare* release.

SEP-1, VTE-6, ED-1b, ED-2b and PC-01 display the following data:

- Facility Rate
- Number of Patients
- State Rate
- National Rate
- Top 10%

Denominators greater than zero and less than 11 will display on the Preview UI but will not be reported on *Hospital Compare*.

The state and national rates are calculated based on the data in the CMS Clinical Data Warehouse, regardless of whether your hospital elected to opt-out of publicly reporting data on *Hospital Compare*.

State Rate

The state performance rate is derived by summing the numerators for all cases in the state divided by the sum of the denominators in the state. Median times are identified using all cases in the state. ED-1b and ED-2b display the state's average minutes for hospitals that fall in the Low, Medium, High, and Very High ED Volume Categories, plus the overall average minutes for all hospitals in the state.

When data from VHA and/or the Department of Defense (DoD) are included in the state rates, a footnote will be applied to identify which measures and whether VHA and/or DoD data are included.

National Rate

The national performance rate is derived by summing the numerators for all cases in the nation divided by the sum of the denominators in the nation. Median times are identified using all cases in the nation. ED-1b and ED-2b display the national average minutes for hospitals that fall in the Low, Medium, High, and Very High ED Volume Categories, plus the overall average minutes for all hospitals in the nation.

When data from VHA and/or the DoD are included in the national rates, a footnote will be applied to identify which measures and whether VHA and/or DoD data are included.

Top 10%

The 90th percentile is calculated for each measure using the un-weighted average or median for each eligible hospital and identifying the top 10 percent of hospitals.

The EDV measure displays in the state or national modal and is based on the volume of patients submitted by a hospital as the denominator used for the Hospital OQR Program measure OP-22 (Patient Left without Being Seen). Category assignments are:

- Very High – values of 60,000 patients or more per year
- High – values ranging from 40,000 to 59,999 patients per year
- Medium – values ranging from 20,000 to 39,999 patients per year
- Low – values of 19,999 patients or less per year

Healthcare Personnel Influenza Vaccination

HCP Influenza Vaccination (IMM-3) includes the number of healthcare workers contributing towards successful influenza vaccination adherence within the displayed time frame, regardless of clinical responsibility or patient contact.

The Influenza Vaccination Adherence Percentage is calculated as the total number of healthcare workers contributing to successful vaccination adherence divided by the total number of healthcare workers eligible to receive the influenza vaccine per the CDC's National Healthcare Safety Network (NHSN) protocol.

IMM-3 displays the following data:

- Facility's Adherence Rate
- State Adherence Rate
- National Adherence Rate

Healthcare Personnel Influenza Vaccination			
	Facility's Adherence Rate	State Adherence Rate	National Adherence Rate
OP-27	95%	79%	89%
IMM-3	95%	79%	89%

Facility's Adherence Rate

Facility's Adherence Rate is calculated as the total number of healthcare workers in your hospital contributing to successful vaccination adherence divided by the total number of healthcare workers in your hospital eligible to receive the influenza vaccine per NHSN protocol.

State Adherence Rate

State Adherence Rate is calculated as the total number of healthcare workers in the state contributing to successful vaccination adherence divided by the total number of healthcare workers in the state eligible to receive the influenza vaccine per NHSN protocol.

National Adherence Rate

National Adherence Rate is calculated as the total number of healthcare workers in the nation contributing to successful vaccination adherence divided by the total number of healthcare workers in the nation eligible to receive the Influenza vaccine per NHSN protocol.

NOTE: IMM-3 displays the same data as displayed for the Hospital OQR Program measure, OP-27. To avoid duplication of the measure data in the downloadable files on *Hospital Compare*, the Measure ID IMM-3_OP-27 is used to represent IMM-3 and OP-27, rather than listing the data separately.

+Structural Measures

Structural Measures (SM-5, SM-6)

The Structural Measures data have been entered in the *QualityNet Secure Portal* web-based data collection tool from April 1 through May 15. Measures include Safe Surgery Checklist Use (SM-5) and Hospital Survey on Patient Safety Culture (SM-6).

+Complications & Deaths

30 Day Death Rates (MORT-30-AMI, MORT-30-HF, MORT-30-PN, MORT-30-STK, MORT-30-COPD, MORT-30-CABG)

CMS Patient Safety Indicators (PSI-3, PSI-4, PSI-6, PSI-8, PSI-9, PSI-10, PSI-11, PSI-12, PSI-13, PSI-14, PSI-15, PSI-90)

Infections (HAI-1, HAI-2, HAI-3, HAI-4, HAI-5, HAI-6)

Surgical Complications (Comp-HIP-KNEE)

The 30 Day Death Rate measures, also referred to as the 30-Day Risk-Standardized Mortality measures, are typically updated annually during the July *Hospital Compare* release.

Hospitals are not required to submit these data because CMS calculates the measures from claims and enrollment data.

- Hospitals with fewer than 25 eligible cases for the mortality measures are assigned to a separate category described as "the number of cases is too small (fewer than 25) to reliably tell how well the hospital is performing" and are included in the measure calculation but will not be reported on *Hospital Compare*.

30 Day Death Rate measures display the following data:

- Eligible [Medicare] Discharges
- Facility Rate
- National Rate
- National Compare



30 Day Death Rates

	Eligible Discharges	Facility Rate	National Rate	National Compare
MORT-30-AMI	529	10.9% *	13.2% *	BETTER

Additional details, including your hospital's Risk-Standardized Mortality Rate (RSMR), 95% Interval Estimates, or Risk-Standardized Complication Rate (RSCR) can be found by selecting the data next to the asterisk in the Facility Rate column.



State rates do not display for the Mortality measures. However, for each of the measures the national observed result and the number of hospitals in the state and the nation whose performance was categorized as Better, No Different, or Worse than the National Rate can be found by selecting the data next to the asterisk in the National Rate column in the accordion.



The Hospital-Specific Reports (HSRs) distributed to hospitals via the *QualityNet Secure Portal* provide the average state risk-standardized outcome rates and national-observed (unadjusted) rates for all of the mortality and readmission measures. The state and national averages include data from Veterans Health Administration (VHA) hospitals for the following measures:

- READM-30-AMI
- READM-30-HF
- READM-30-PN
- MORT-30-AMI
- MORT-30-HF
- MORT-30-PN

CMS Patient Safety Indicators (PSIs)

The following are the CMS PSI measures reported on *Hospital Compare*:

- PSI-4 Rate of Death among Surgical Inpatients with Serious Treatable Complications
- PSI-90 Patient Safety and Adverse Events Composite (CMS PSI-90 measure)

The following indicators are individual components of the CMS PSI-90 measure and are included in the accordion; however, these indicators will only display in the downloadable database on *Hospital Compare*:

- PSI-3 Pressure Ulcer Rate
- PSI-6 Iatrogenic Pneumothorax Rate
- PSI-8 In-Hospital Fall with Hip Fracture Rate
- PSI-9 Perioperative Hemorrhage or Hematoma Rate
- PSI-10 Postoperative Acute Kidney Injury Requiring Dialysis Rate
- PSI-11 Postoperative Respiratory Failure Rate
- PSI-12 Perioperative Pulmonary Embolism or Deep Vein Thrombosis Rate
- PSI-13 Postoperative Sepsis Rate
- PSI-14 Postoperative Wound Dehiscence Rate
- PSI-15 Unrecognized Abdominopelvic Accidental Puncture/Laceration Rate

CMS PSIs display the following data:

- Eligible [Medicare] Discharges
- Facility Ratio (per 1,000 discharges)
- National Ratio
- National Compare

CMS Patient Safety Indicators

	Eligible Discharges	Facility Ratio	National Ratio	National Compare
PSI-3	10,822	0.17 *	0.41 *	SAME
PSI-4	145	161.31 *	161.73 *	SAME
PSI-6	14,020	0.38 *	0.29 *	SAME
PSI-8	11,457	0.14 *	0.11 *	SAME
PSI-9	3,760	2.65 *	2.6 *	SAME
PSI-10	1,683	0.65 *	1.32 *	SAME
PSI-11	1,205	6.02 *	7.88 *	SAME
PSI-12	3,973	5.57 *	3.86 *	WORSE
PSI-13	1,624	4.45 *	5.23 *	SAME
PSI-14	897	0.57 *	0.86 *	SAME
PSI-15	2,635	1.13 *	1.29 *	SAME
PSI-90	N/A *	0.9 *	1 *	SAME

Additional details, including your hospital's CMS PSI Rate and 95% Interval Estimates, can be found by selecting the data next to the asterisk in the Facility Ratio column.



State ratio do not display for the CMS PSIs. However, for each of the measures the national observed result and the number of hospitals in the state and the nation whose performance was categorized as Better, Same, or Worse than the National Ratio can be found by selecting the data next to the asterisk in the National Ratio column in the accordion.



Healthcare-Associated Infections (HAIs)

Hospitals submit HAI data to the CDC's NHSN system. The CDC provides the HAI data to CMS for display on *Hospital Compare.*

HAI Measure Definitions

HAI-1 — Central Line-associated Bloodstream Infection (CLABSI)

The CLABSI measure includes the number of laboratory-confirmed cases of CLABSI among adult, pediatric, neonatal intensive care unit (ICU), and selected ward patients for events identified within the displayed time frame. CLABSIs identified in patients with mucosal-barrier injury (MBI) are excluded.

HAI-2 — Catheter-associated Urinary Tract Infection (CAUTI)

The CAUTI measure includes the number of laboratory-confirmed cases of CAUTI among adult and pediatric ICU and selected ward patients for events identified within the displayed time frame.

HAI-3 — Surgical Site Infections for Colon Surgery

The SSI-Colon Surgery measure includes the number of SSIs identified among adults that occur within 30 days following criteria-specific colon surgeries performed for events identified within the displayed time frame. SSIs that were present at time of surgery (PATOS) are excluded.

HAI-4 — Surgical Site Infections for Abdominal Hysterectomy Surgery

The SSI-Abdominal Hysterectomy measure includes the number of SSIs identified among adults that occur within 30 days following criteria-specific abdominal hysterectomy surgeries performed for events identified within the displayed time frame. SSIs that were present at time of surgery (PATOS) are excluded.

HAI-5 — Methicillin-resistant Staphylococcus aureus (MRSA) bacteremia Blood Infections

The MRSA bacteremia measure includes the number of hospital-onset MRSA bacteremia LabID events that occur in all inpatient locations facility-wide within the displayed time frame.

HAI-6 — Clostridioides difficile (C. difficile) Infections

The *C. difficile* measure includes the number of hospital-onset *C. difficile* LabID events that occur in all inpatient locations, facility-wide **minus** neonatal ICUs, well-baby nurseries, or well-baby clinics within the displayed time frame.

HAI Measure Display

As noted in the image below, HAI measure information is displayed in the following columns:

- Predicted
- Reported
- Days/Procedure
- Facility Ratio
- State Ratio
- National Ratio
- National Compare

Infections							
	Predicted	Reported	Days / Procedure	Facility Ratio	State Ratio	National Ratio	National Compare
HAI-1	30 *	15 *	4930 *	0.240 *	0.971 *	0.0850	Worse *
HAI-2	30 *	15 *	4930 *	0.240 *	0.971 *	0.0850	Worse *
HAI-3	30 *	15 *	4930 *	0.240 *	0.971 *	0.0850	Worse *
HAI-4	30 *	15 *	4930 *	0.240 *	0.971 *	0.0850	Worse *
HAI-5	30 *	15 *	4930 *	0.240 *	0.971 *	0.0850	Worse *
HAI-6	30 *	15 *	4930 *	0.240 *	0.971 *	0.0850	Worse *

Predicted

Your hospital's predicted number of infections is the predicted number of infections in scope for quality reporting. The predicted number of infections is calculated using national aggregate NHSN data from 2015 (resulting in the updated Standardized Infection Ratio [SIR] baseline described above) and is risk adjusted for your hospital based on several factors. The predicted number of infections is used by NHSN as the denominator to calculate your hospital's SIR.

Reported

Your hospital's reported number of infections is the observed number of infections reported by your hospital in scope for quality reporting. The observed number of infections is used as the numerator by NHSN to calculate your hospital's SIR.

Any data submitted to NHSN after the CMS submission deadline will **not** be included in the data reported for the Preview or on *Hospital Compare*.

Days/Procedure

HAI-1 (CLABSI): The number of central line days in hospital locations in scope (adult, pediatric, and neonatal ICUs, and selected wards) for quality reporting.

HAI-2 (CAUTI): The number of urinary catheter days in hospital locations in scope (adult and pediatric ICUs and selected wards) for quality reporting.

HAI-3 (SSI-Colon): The procedure count field on this Preview and on *Hospital Compare* displays the total number of in-plan, inpatient colon procedures performed in the facility on adults 18 years and older with no considerations to the exclusion and inclusion criteria applied to NHSN's Complex 30-day SSI SIR model. A subset of the procedure count field is used in the calculation of the number of predicted infections. This procedure count may not match the procedure count shown on NHSN's SIR Report, as NHSN's SIR Report shows the number of procedures included in the SIR calculation. More information on the procedures included in the calculation of the SIR can be found at this direct link: https://www.cdc.gov/nhsn/pdfs/ps-analysis-resources/nhsn-sir-guide.pdf.

HAI-4 (SSI-Abdominal Hysterectomy): The procedure count field on this Preview and on *Hospital Compare* displays the total number of in-plan, inpatient abdominal hysterectomy procedures performed in the facility on adults 18 years and older with no considerations to the exclusion and inclusion criteria applied to NHSN's Complex 30-day SSI SIR model. A subset of

the procedure count field is used in the calculation of the number of predicted infections. This procedure count may not match the procedure count shown on NHSN's SIR Report, as NHSN's SIR Report shows the number of procedures included in the SIR calculation. More information on the procedures included in the calculation of the SIR can be found at this direct link: https://www.cdc.gov/nhsn/pdfs/ps-analysis-resources/nhsn-sir-guide.pdf.

HAI-5 (MRSA): The total number of patient days in hospital facility-wide inpatient locations in scope for quality reporting.

HAI-6 (*C. difficile*): The total number of patient days in hospital facility-wide inpatient locations, minus neonatal ICUs, well-baby nurseries, or well-baby clinics in scope for quality reporting.

Facility Ratio (SIR)

The SIR is a summary measure used to track HAIs at a facility, state, or national level over time. The SIR is calculated as observed number of infections (numerator) divided by the predicted number of infections (denominator). The number of predicted infections is adjusted based on several factors specific to your hospital. The following link provides more information regarding SIR calculations: https://www.cdc.gov/nhsn/pdfs/ps-analysis-resources/nhsn-sir-guide.pdf

---

When a hospital's SIR cannot be calculated for an HAI measure because there is less than one predicted infection, or because the hospital's *C. difficile* prevalence rate is above the allowed threshold, the SIR displays "N/A (with Footnote 13)" to indicate the results could not be calculated.

The upper and lower confidence intervals for the facility and state ratios are provided in the associated modal by selecting the data next to the Facility Ratio or the State Ratio. The modal lists your hospital's lower-bound limit and upper-bound limit around the hospital's SIR. The lower- and upper-bound limits of the confidence interval (95%) for your hospital's SIR are an indication of precision and allow interpretation in terms of statistical significance.

When the lower limit of the confidence interval cannot be calculated due to the number of observed infections equaling zero, Footnote 8 is applied.





State Ratio

The State Ratio SIR is calculated by dividing the state numerator in scope for quality reporting by the state denominator in scope for quality reporting, for a specific infection type.

National Ratio

The National Ratio SIR is based on current aggregated data in scope for quality reporting from acute care facilities to meet the CMS rule from the same time period as the facility's data. It is shown to demonstrate where the most recent overall national SIR stands. This ratio is not shown on *Hospital Compare* to avoid confusion with the National SIR Benchmark used to compare hospital performance.

National Comparison

Your hospital's performance phrase is determined by comparing your facility's SIR to a national benchmark of 1. A confidence interval with a lower and upper limit is displayed around each SIR to indicate a high degree of confidence (95%) that the true value of the SIR lies within that interval.

Performance phrases displayed are:

- **Better** (Better than the National Benchmark): Displays if your hospital's SIR has an upper limit that is less than the National Benchmark of one
- **Same** (No Different than National Benchmark): Displays if your hospital's SIR has a confidence interval (lower to upper limit) that includes the National Benchmark of one
- **Worse** (Worse than the National Benchmark): Displays if your hospital's SIR has a lower limit that is greater than the National Benchmark of one

Surgical Complications

The following surgical complications measure is reported on *Hospital Compare*:

- Comp-HIP-KNEE - Risk-Standardized Complication Rate (RSCR) Following Elective Primary Total Hip Arthroplasty (THA) and/or Total Knee Arthroplasty (TKA)

This risk-standardized complication measure is typically updated annually during the July *Hospital Compare* release.

The surgical complications portion of the expanded accordion displays the RSCR Following Elective Primary THA and/or TKA measure. This measure is also referred to as the THA/TKA Complication measure.

Hospitals are not required to submit these data because CMS calculates the measure from claims and enrollment data.

- The measure is calculated using three years of data.
  - The performance period for the THA/TKA Complication measure starts and ends one quarter before the THA/TKA Readmission measure.
- Hospitals with fewer than 25 eligible cases for the THA/TKA Complication measure are assigned to a separate category described as "the number of cases is too small (fewer than 25) to reliably tell how well the hospital is performing" and are included in the measure calculation but will not be reported on *Hospital Compare*.

The Complication measure display includes the following data:

- Eligible [Medicare] Discharges
- Complication Rate
- National Rate
- National Compare



Surgical Complications				
	Eligible Discharges	Complication Rate	National Rate	National Compare
Comp-HIP-KNEE	120 *	11.3% *	13.6% *	Better

Additional details, including your hospital's RSCR and 95% Interval Estimates, can be found by selecting the data next to the asterisk in the Complication Rate column.



COMP-HIP-KNEE Complication Rate: Details

Supplemental Information:

Risk Standardized Complication Rate Details

Lower Limit: 2%

Upper Limit of 95% Interval Estimate: 4.6%

State rates do not display for the THA/TKA Complication measure. However, the national observed result and the number of hospitals in the state and the nation whose performance was categorized as Better, Same, Worse than the National Rate or Number of Cases Too Small to report can be found by selecting the data next to the asterisk in the National Rate column in the accordion.



COMP-HIP-KNEE National Rate: Details

Supplemental Information:

Better than National Avg:

In State: 0

In Nation: 68

Same than National Avg:

In State: 43

In Nation: 2,669

Worse than National Avg:

In State: 0

In Nation: 44

Number of Cases Too Small:

In State: 5

In Nation: 678

+Unplanned Hospital Visits
Condition Specific Readmission (READM-30-AMI, READM-30-HF, READM-30-PN, READM-30-STK, READM-30-COPD)
Procedure Specific Readmission (READM-30-CABG, READM-30-HIP-KNEE)
Hospital Wide Readmission (READM-30-HOSPWIDE)
Excess Days in Acute Care (EDAC-30-AMI, EDAC-30-HF, EDAC-30-PN)

The 30-Day Risk-Standardized Readmission Measures are typically updated annually during the July *Hospital Compare* release. Hospitals are not required to submit these data because CMS calculates the measures from claims and enrollment data.

- With the exception of the Hospital-Wide Readmission measure, which is calculated using one year of data, the measures are all calculated using three years of data.
- Hospitals with fewer than 25 eligible cases for the readmission measures are assigned to a separate category described as "the number of cases is too small (fewer than 25) to reliably tell how well the hospital is performing" and are included in the measure calculation but will not be reported on *Hospital Compare*.

As shown in the image below, the readmission measures display:

- Eligible [Medicare] Discharges
- Facility Rate
- National Rate
- National Compare

Condition Specific Readmission

	Eligible Discharges	Facility Rate	National Rate	National Compare
READM-30-AMI	798	15.9% *	16% *	SAME
READM-30-HF	1,060	21.8% *	21.7% *	SAME
READM-30-PN	603	17.4% *	16.7% *	SAME
READM-30-STK	610	12.4% *	11.9% *	SAME
READM-30-COPD	568	19.4% *	19.6% *	SAME

Your facility's Risk-Standardized Readmission Rate (RSRR) and 95% Interval Estimates are provided in a modal that can be viewed by selecting the data value for the measure in the Facility Rate column.

READM-30-AMI Facility Rate: Details

Supplemental Information:

30-Day Risk Standardized Condition Specific Readmission:

Lower Limit: 13.8%

Upper Limit of 95% Interval Estimate: 18.2%

State rates do not display for the readmission measures. However, for each of the measures, the national observed result and the number of hospitals in the state and the nation whose performance was categorized as Better, Same, Worse than the National Rate or Number of Cases Too Small to report can be found by selecting the data next to the asterisk in the National Rate column in the accordion.


READM-30-AMI National Rate: Details

Supplemental Information:

Better than National Avg:

In State: 0

In Nation: 24

Same than National Avg:

In State: 37

In Nation: 2,174

Worse than National Avg:

In State: 0

In Nation: 31

Number of Cases Too Small:

In State: 44

In Nation: 1,979

Excess Days in Acute Care

The Excess Days in Acute Care (EDAC) measures are typically updated annually during the July *Hospital Compare* release. Hospitals are not required to submit these data because CMS calculates the measures from claims and enrollment data.

- The measures are calculated using three years of data.
- *Hospital Compare* will report EDAC as "Hospital Return Days" measures.
- Hospitals with fewer than 25 eligible cases for the EDAC measures are assigned to a separate category described as "the number of cases is too small (fewer than 25) to reliably tell how well the hospital is performing" and are included in the measure calculation but will not be reported on *Hospital Compare*.
- The EDAC measures incorporate the time spent in acute care (ED visits, observation stays, and unplanned readmissions) after discharge from the hospital.

	Eligible Discharges	Patients Included	Returned to a Hospital	Measure Days	Compare
EDAC-30-AMI	798	754	200	-5.9 *	SAME *

EDAC measures display:

- Eligible [Medicare] Discharges
- Patients Included (number of patients included in the EDAC measure)
- Returning to a Hospital (number of patients who returned to a hospital)
- Measure Days (Your hospital's Measure Days)
- Compare (Your hospital's performance category)

Your hospital's Measure Days and 95% Interval Estimates are provided in a modal that can be viewed by selecting the data value for the measure in the Measure Days column.



State rates do not display for the EDAC measures. However, for each of the measures, the national observed result and the number of hospitals in the state and the nation whose performance was categorized as Fewer days than Average, Same as National Average Days, More Days than Average, or Number of Cases Too Small to report can be found by selecting the data next to the asterisk in the Compare column in the accordion.

+Payment & Value of Care

Payment (PAYM-30-AMI, PAYM-30-HF, PAYM-30-PN, PAYM-90-HIP-KNEE)
Medicare Spending per Beneficiary (MSPB-1, CEBP-1, CEBP-2, CEBP-3, CEBP-4, CEBP-5 CEBP-6)

Medicare Payment Measures

The results for the Medicare condition- and procedure-specific payment measures are typically updated annually during the July *Hospital Compare* release. Hospitals are not required to submit payment measure data because CMS calculates the measures from claims and enrollment data.

- Measure results are calculated using three years of data.
- Hospitals with fewer than 25 eligible cases for the payment measures are assigned to a separate category described as "the number of cases is too small (fewer than 25) to reliably estimate the hospital's Risk-Standardized Payment (RSP)." Those hospitals are included in the measure calculation but will not be reported on *Hospital Compare*.
- These measures are hospital-level measures of payments for an episode of care that begins with an inpatient admission for the condition or procedure of interest and ends either 30 days for AMI, HF, and Pneumonia or 90 days for THA/TKA post-admission.
- These payment measures calculate Risk-Standardized Payments (RSPs), which add up payments for patients across multiple care settings, services, and supplies (i.e., inpatient, outpatient, skilled nursing facility, home health agency, hospice, physician/clinical laboratory/ambulance services, durable medical equipment, prosthetics/orthotics, and supplies) during the designated episode of care.
- While these payment measures only include Medicare fee-for-service beneficiaries, they capture payments made by Medicare, other health insurers, and the patients themselves.

Many of the specifications of these payment measures were closely aligned with the specifications of the corresponding mortality measures for AMI, HF, and Pneumonia. The THA/TKA payment measure aligns with the corresponding complication measure. The payment measures risk-adjust for patient age and comorbid conditions. These measures also remove differences due to geographic variation or policy adjustments. A lower or higher RSP does not,

by itself, imply that a hospital is providing better care. As the AMI, HF, and Pneumonia payment measure specifications align with those of the mortality measures, and, as the THA/TKA payment measure specifications align with those of the complication measure, RSPs for AMI, HF, Pneumonia, or THA/TKA should be considered alongside hospital performance on the corresponding outcome measure for that condition or procedure.

Payment measure display:

- Eligible [Medicare] Discharges
- Facility Payment
- National Average Payment
- National Compare

Payment

	Eligible Discharges	Facility Payment	National Average Payment	National Compare
PAYM-30-AMI	715	$23,394 *	$23,745 *	SAME
PAYM-30-HF	813	$17,041 *	$16,632 *	SAME
PAYM-30-PN	534	$18,281 *	$17,415 *	SAME
PAYM-90-HIP-KNEE	310	$25,812 *	$21,953 *	WORSE

The Preview UI will display the Eligible Discharges, Facility Payment, National Average Payment, and National Compare payment category (Better, Same, or Worse than the National Average Payment) for each measure. The RSP and 95% Interval Estimates can be viewed by selecting the data in the Facility Payment column.

PAYM-30-AMI Facility Payment: Details

Supplemental Information:

30-Day Risk Standardized Payment:

Lower Limit: $22,216

Upper Limit of 95% Interval Estimate: $24,641

State payment averages do not display for the payment measures. However, for each of the measures, the national average payment and the number of hospitals in the state and the nation whose performance was categorized as Greater than, Same as national average, Less than, or Number of Cases Too Small to report can be found by selecting the data next to the asterisk in the National Average Payment column in the accordion.



The Value of Care category displays the mortality/complication and payment values for each hospital and can be found in the National Average Payment Detail Modal.

Medicare Spending per Beneficiary and Clinical Episode-based Payment (CEBP) Measures

The Medicare Spending per Beneficiary (MSPB) and Clinical Episode-based Payment (CEBP) measures assess Medicare Part A and Part B payments for services provided to a Medicare beneficiary during an episode that spans from three days prior to an inpatient hospital admission through 30 days after discharge. The payments included in these measures are price-standardized and risk-adjusted. Price standardization removes sources of variation that are due to geographic payment differences, such as wage index, geographic practice cost differences, indirect medical education (IME), or disproportionate share hospital (DSH) payments. Risk adjustment accounts for variation due to patient age and health status.

By measuring cost of care through these measures, CMS hopes to increase the transparency of care for consumers and recognize hospitals for the provision of high-quality care.

- MSPB-1 Medicare Spending per Beneficiary

The following conditions and procedures of interest for the CEBP measures are included in the accordion; however, these measures will only display in the downloadable database on *Hospital Compare*:

- CEBP-1 Cholecystectomy and Common Duct Exploration Clinical Episode-Based Payment
- CEBP-2 Cellulitis Clinical Episode-Based Payment
- CEBP-3 Gastrointestinal Hemorrhage Clinical Episode-Based Payment
- CEBP-4 Kidney/Urinary Tract Infection Clinical Episode-Based Payment
- CEBP-5 Spinal Fusion Clinical Episode-Based Payment
- CEBP-6 Aortic Aneurysm Procedure Clinical Episode

The results for the MSPB measures will be updated during the January *Hospital Compare* release. Hospitals are not required to submit data for these measures because CMS calculates the measures from claims and enrollment data.

- Measure results are calculated using one year of data.
- A performance of greater than one indicates that your hospital's MSPB/CEBP Amount is more expensive than the U.S. National Median Amount.
- A performance of less than one indicates that your hospital's MSPB/CEBP Amount is less expensive than the U.S. National Median Amount.
- Your hospital's MSPB/CEBP performance is the ratio of your hospital's price-standardized, risk-adjusted MSPB/CEBP Amount to the episode-weighted median MSPB/CEBP Amount across all hospitals.

MSPB/CEBP measures will display:

- Facility Rate
- State Rate
- National Rate
- National Median Amount



Medicare Spending per Beneficiary

	Facility Rate	State Rate	National Rate	National Median Amount
MSPB-1	0.99 *	1	0.99	$21,127.95
CEBP-1	1.02	0.99	1.00	15,418.70
CEBP-2	N/A *	0.98	1.00	9,718.24
CEBP-3	0.96	1.01	0.99	11,081.90
CEBP-4	0.89	1.03	0.99	10,049.17
CEBP-5	1.03	0.98	1.02	36,730.12
CEBP-6	N/A *	0.98	1.02	38,107.25

Withholding Data from *Hospital Compare*

Hospitals participating in the Hospital IQR Program agree to have data publicly reported on *Hospital Compare*.

Hospitals voluntarily submitting data to the Hospital IQR Program have an option to withhold data from public reporting on *Hospital Compare*. The option to request withholding of data from *Hospital Compare* is only available during the 30-day preview period.

Withholding Overview

To withhold publication of data, your hospital must complete and fax or email an **Inpatient *Hospital Compare* Request for Withholding Data from Public Reporting Form** on or before the last day of the preview period to the Hospital Inpatient Value, Incentives, and Quality Reporting (VIQR) Outreach and Education Support Contractor (SC).

Hospitals that do not have an appropriate Notice of Participation, or pledge, display only the CCN, hospital name and the following message: "You do not have an Inpatient Notice of Participation to publicly report data for the Preview period."

NOTE: If you received this message in error, contact the Hospital Inpatient VIQR Support Contractor prior to the last day of the preview period.

Questions regarding the Hospital IQR Program may be directed to the Hospital Inpatient VIQR SC through the Inpatient Questions and Answers tool at: https://cms-ip.custhelp.com, or by calling, toll-free, (844) 472-4477 or (866) 800-8765 weekdays from 8 a.m. to 8 p.m. ET.

Procedure to Withhold Data

1. Access the public website for *QualityNet* at https://www.qualitynet.org.
2. Click on the **Hospitals - Inpatient** tab.



3. Select the **Public Reporting** link.



4. Select the **Optional Public Reporting** link from the left-side navigation panel.

5. Select the ***Hospital Compare*** **Request for Withholding Data from Public Reporting** link. Your hospital must complete the form and fax or email to the Hospital Inpatient VIQR SC prior to the last day of the preview period at secure fax 1 (877) 789-4443 or email QRSupport@HCQIS.org.

Any forms received after the preview period **will not have the requested measures withheld** for that *Hospital Compare* release.

Measure IDs Included in Measure Accordions

Measure Accordion	Measure IDs Included
Survey of Patients' Experience	Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS) HCAHPS Summary Star Ratings Communication with Nurses Communication with Doctors Responsiveness of Hospital Staff Communication About Medicines Cleanliness of Hospital Environment Quietness of Hospital Environment Discharge Information Care Transition Hospital Rating Recommend this Hospital
Timely and Effective Care	Sepsis (SEP-1) Venous Thromboembolism Prevention (VTE-6) Emergency Department (ED-1b, ED-2b, OP-18b, OP-18c, OP-22, OP-23) Immunization (IMM-2, IPFQR-IMM-2) Healthcare Personnel Influenza Vaccination (FluVac HCP, OP-27, IMM-3) Perinatal Care (PC-01) Cardiac Care (OP-2, OP-3b, OP-5) Cancer Care (OP-33) Cataract (OP-31) Colonoscopy (OP-29, OP-30)
Structural Measures	Structural Measures (SM-5, SM-6, OP-12, OP-17, OP-25)
Complications & Deaths	30 Day Death Rates (MORT-30-AMI, MORT-30-HF, MORT-30-PN, MORT-30-STK, MORT-30-COPD, MORT-30-CABG) CMS Patient Safety Indicators (PSI-3, PSI-4, PSI-6, PSI-8, PSI-9, PSI-10, PSI-11, PSI-12, PSI-13, PSI-14, PSI-15, PSI-90) Infections (HAI-1, HAI-2, HAI-3, HAI-4, HAI-5, HAI-6) Surgical Complications (Comp-HIP-KNEE)
Unplanned Hospital Visits	Condition Specific Readmission (READM-30-AMI, READM-30-HF, READM-30-PN, READM-30-STK, READM-30-COPD) Procedure Specific Readmission (READM-30-CABG, READM-30-HIP-KNEE) Hospital Wide Readmission (READM-30-HOSPWIDE) Inpatient Psychiatric Facility Readmission (READM-30-IPF) Procedure Specific Outcomes (OP-32) Excess Days in Acute Care (EDAC-30-AMI, EDAC-30-HF, EDAC-30-PN)

Measure Accordion	Measure IDs Included
Payment & Value of Care	Payment (PAYM-30-AMI, PAYM-30-HF, PAYM-30-PN, PAYM-90-HIP-KNEE) Medicare Spending per Beneficiary (MSPB-1, CEBP-1, CEBP-2, CEBP-3, CEBP-4, CEBP-5, CEBP-6)
Continuity of Care	Use of an Electronic Health Record (IPFQR-EHR1, IPFQR-EHR2) Transition Record (TR1, TR2) Hospital-Based Inpatient Psychiatric Services (HBIPS-5) Follow up After Hospitalization for Mental Illness (FUH-7, FUH-30)
Substance Use Treatment	Substance Use (SUB-2, SUB-2a, SUB-3, SUB-3a) Tobacco Use (TOB-2, TOB-2a, TOB-3, TOB-3a)
Patient Experience	Hospital-Based Inpatient Psychiatric Services (HBIPS-2, HBIPS-3) Assessment of Patient Experience of Care (PEoC)
Preventative Care/Screening	Screening (SMD, SUB-1, TOB-1)
Surgical Procedure Volume	Surgical Procedure Volume (OP-26)
Use of Medical Imaging	Imaging Efficiency (OP-8, OP-9, OP-10, OP-11, OP-13, OP-14)
Process Measures	Cancer Specific Treatment (PCH-1, PCH-2, PCH-3) Oncology Care (PCH-14, PCH-15, PCH-16, PCH-17, PCH-18) External Beam Radiotherapy (PCH-25)

Footnote Table

Number	Description	Application
1	The number of cases/patients is too few to report	Applied to any measure rate where the denominators are greater than zero and less than eleven. Data will not display on *Hospital Compare.* HCAHPS • This is applied when a hospital has zero cases, or five or fewer eligible HCAHPS patient discharges. • HCAHPS scores based on fewer than 25 completed surveys will display on the Preview Report. • Data will not display on *Hospital Compare.* Measures Based on Claims Data Applied to any hospital where the number of cases reported is too small (less than 25 and greater than zero) to reliably tell how well a hospital is performing.
2	Data submitted were based on a sample of cases/patients	Applied when any case submitted to the CMS Clinical Data Warehouse was sampled for a reported quarter for a topic; Applied at the topic level (e.g., VTE)
3	Results are based on a shorter time period than required	Applied when a hospital elected not to submit data, had no data to submit, or did not successfully submit data to the CMS Clinical Data Warehouse for a measure for one or more, but not all possible quarters.
4	Data suppressed by CMS for one or more quarters	Reserved for CMS use.
5	Results are not available for this reporting period	Applied when a hospital either elected not to submit data, or the hospital had no data to submit for a particular measure, or when a hospital elected to suppress a measure. HCAHPS • When a hospital did not participate in HCAHPS reporting during the period covered by the Preview Report • When a hospital only participated in HCAHPS reporting for a portion of the period covered by the Preview Report • When a hospital chooses to suppress HCAHPS results (A hospital will see HCAHPS results on its Preview Report, but not on *Hospital Compare*.)

Number	Description	Application
6	Fewer than 100 patients completed the HCAHPS survey (Use these scores with caution, as the number of surveys may be too low to reliably assess hospital performance.)	Applied when the number of completed HCAHPS surveys is 50–99.
7	No cases met the criteria for this measure	Applied when a hospital treated patients for a particular topic, but no patients met the criteria for inclusion in the measure calculation.
8	The lower limit of the confidence interval cannot be calculated if the number of observed infections equals zero	HAI Applied when the lower limit of the confidence interval cannot be calculated.
9	No data are available from the state/territory for this reporting period.	This footnote is applied when: • Too few hospitals in a state/territory had data available. OR • No data was reported for this state/territory.
10	• Very few patients were eligible for the HCAHPS survey • The scores shown reflect fewer than 50 completed surveys (Use these scores with caution, as the number of surveys may be too low to reliably assess hospital performance.)	Applied when the number of completed HCAHPS surveys is fewer than 50.
11	There were discrepancies in the data collection process	Applied when there have been deviations from HCAHPS data collection protocols.
12	This measure does not apply to this hospital for this reporting period	Applied to the measure when either the hospital has a waiver, or the hospital submitted to NHSN: • Zero Central Line Days • Zero Catheter Days • Zero Surgical Procedures

Number	Description	Application
13	Results cannot be calculated for this reporting period Results cannot be calculated for this reporting period	Applied to emergency department measures when the average minutes cannot be calculated for a volume category. HAI Applied when the hospital's SIR cannot be calculated because: • The number of predicted infections is less than one. • The *C. difficile* prevalence rate is greater than the established threshold. **NOTE:** The number of predicted infections will not be calculated for those facilities with an outlier *C. difficile* prevalence rate. Applied when the provider was excluded from the measure calculation as a non-IPPS hospital. Applied to the value of care display if one of the two measures that assess value of care is unavailable.
14	The results for this state are combined with nearby states to protect confidentiality.	This footnote is applied when a state has fewer than 10 hospitals to protect confidentiality. Results are combined as follows: (1) the District of Columbia and Delaware are combined; (2) Alaska and Washington are combined; (3) North Dakota and South Dakota are combined; and (4) New Hampshire and Vermont are combined. Hospitals located in Maryland and U.S. territories are excluded from the measure calculation.
15	The number of cases/patients is too few to report a Star Rating.	Applied when CMS has determined there are too few cases or patients to report an HCAHPS Star Rating.
16	There are too few measures or measure groups reported to calculate an overall rating or measure group score.	This footnote is applied when a hospital: • Reported data for fewer than three measures in any measure group used to calculate overall ratings or • Reported data for fewer than three of the measure groups used to calculate ratings or • Did not report data for at least one outcomes measure group.
17	This hospital's overall rating only includes data reported on inpatient services.	This footnote is applied when a hospital only reports data for inpatient hospital services.
20 Retired	State and national averages do not include VHA hospital data.	Data for VHA hospitals are calculated separately from data for other inpatient acute-care hospitals.

Number	Description	Application
22	Overall star ratings are not calculated for VHA) or DoD hospitals.	VHA hospitals are not included in the calculations of the *Hospital Compare* overall rating. DoD hospitals are not included in the calculations of the *Hospital Compare* overall rating or the HCAHPS star ratings.
23	The data are based on claims that the hospital or facility submitted to CMS. The hospital or facility has reported discrepancies in their claims data.	This footnote is applied when a hospital or facility alerts CMS of a possible issue with the claims data used to calculate results for this measure. Calculations are based on a "snapshot" of the administrative claims data and changes that hospitals or facilities make to their claims after the snapshot are not reflected in the data. Issues with claims data include but are not limited to the use of incorrect billing codes or inaccurate dates of service.
25	State and national averages include VHA hospital data.	Applied to state and national data when VHA data is included in the calculation.
26	State and national averages include DoD hospital data.	Applied to state and national data when DoD data is included in the calculation.
27	The DoD TRICARE Inpatient Satisfaction Survey (TRISS) does not represent official HCAHPS results and are not included in state and national averages.	The DoD TRISS uses the same questions as the HCAHPS survey but is collected and analyzed independently.

Question Resources

Clinical Process, HAI, and HCP Influenza Vaccination Measures

Hospital Inpatient VIQR SC through the Inpatient Questions and Answers tool at https://cms-ip.custhelp.com/, or by calling, toll-free, (844) 472-4477 or (866) 800-8765 weekdays from 8 a.m. to 8 p.m. ET

CMS PSI Measures

For questions regarding the CMS PSIs refer to Hospital IQR Program Frequently Asked Questions (on the Resources page on *QualityNet*), or contact the *QualityNet* Help Desk at qnetsupport@hcqis.org.

HCAHPS Measures

HCAHPS Project Team by email at hcahps@hcqis.org

MSPB and CEBP Measures

Please direct all MSPB inquiries to the *QualityNet* Help Desk. Questions will be triaged and assigned for response.

Phone: (866) 288-8912 TTY: (877) 715-6222

Email: qnetsupport@hcqis.org

CEBP Measure Implementation Team by email at CMScebpmeasures@econometricainc.com

Outcome Measures

Mortality Measures to the Outcome Measures Implementation Team by email at cmsmortalitymeasures@yale.edu

Readmission Measures to the Outcome Measures Implementation Team by email at cmsreadmissionmeasures@yale.edu

THA/TKA Complication Measure to the Measures Implementation Team by email at complicationmeasures@yale.edu

EDAC Measure Implementation Team by email at cmsedacmeasures@yale.edu

Payment Measure Implementation Team by email at cmsepisodepayment@yale.edu

Overall Hospital Quality Star Ratings

Hospital Compare Star Ratings Team by email at cmsstarratings@lantanagroup.com.

Payment Measures

Payment Measure Implementation Team by email at cmsepisodepaymentmeasures@yale.edu